Mississippi Department of Mental Health Manual of Uniform Data Standards

2015 Revision Effective April 2015

Division of Information Systems
Mississippi Department of Mental Health
1101 Robert E. Lee Building
239 North Lamar
Jackson, MS 39201
601-359-1288

Table of Contents

Introduction	7
Key terms	9
Conflicting and evolving terminology	12
Program Element Terminology	13
Core data and subsets	14
Service schema	15
Data validation rules	17
Data submissions	19
1) Mental Health Core Client data set (D)	19
2) Substance Abuse Client data subset (A)	19
3) Intellectual and Developmental Disabilities Client data set (I)	20
4) DMH Services data set (S)	21
File naming conventions for data submissions	21
Date format conventions for data submissions	22
Data Systems Requirements	22
Core client data set	24
Data elements of the Core Client Dataset	25
Core Client Data Dictionary	28
Substance Abuse services client data subset	48
Data Elements of the Substance Abuse Data Subset	49
Substance Abuse Data Subset Data Dictionary	55
DMH services data set	72
Data Elements of the Services Dataset	73
Services Data Dictionary	74
List of Service Codes by Program	77
Descriptions of Service Codes	80
States data set	100
MS county data set	102
Technical Requirements	106

Revisions and Updates

Revisions prior to initial release:

01/28/93	Add "Data submissions" section Add CLIENTS.RCD_TRANS field to core data set, renumber fields Revise "Data crosswalks" to add information on CLIENTS.RCD_TRANS field
02/03/93	Update "DMH program location codes data set" Revise CLIENTS.LEG_STATUS codes Add OTH_SOURCE (secondary source) field to CLIENTS data dictionary Rename EMPLOYEE.PRG_CODE as EMPLOYEE.LOC_CODE
03/17/93	Add "Family therapy" to SERVICES data dictionary, revise crosswalks section Add "Group home - programmatic (child)" to SERVICES data dictionary Revise wording of definitions within SERVICES data dictionary Correct field order of ALCOHOL.DIS_STATUS, DIS_REFER, DIS_REF_OR
03/26/93	Revise CLIENTS.EDUCATION codes; revise crosswalks section to match Revise "Data crosswalks" CSAT section so source of "admission date" (to SA services) is ALCOHOL.ENT_DATE instead of CLIENTS.ADM_DATE Revise "Data crosswalks" section on "Miscellaneous codes" to specify the CSAT exceptions when coding "other" as response Revise "Data submissions" text
05/14/93	Revise "DMH program location codes data set" Revise "Introduction" text Revise "Data submissions" text Revise "Data crosswalks" text Add comments for CLIENTS.DSM_1 and DSM_2 Correct description of ALCOHOL.AFT_CARE_1, add comments Reorder ALCOHOL.AFT_CARE_*, ALCOHOL.VOC_REHAB from discharge/exit fields to active fields
07/14/93	Correct "Data crosswalks" CMHS ID number of Jackson MH Center
09/01/93	Revise "Introduction" text Add microcomputer software standards section
09/02/93	Revise "Data validation rules" text
09/23/93	Revise definitions of CLIENTS.SPMI and CLIENTS.SEDC

Revisions after initial release:

11/01/93 Revise "Services" to conform with POS and Medicaid manual updates:

Revise various service descriptions to conform with POS and Medicaid manual updates:

- Rename "Medical services nonphysician" as "Nursing services"
- Rename "Medical services physician" as "Medication evaluation and monitoring"
- Rename "Partial hospitalization/psychosocial rehabilitation" as "Psychosocial rehabilitation"
- Add "Consumer education and support" service
- Add "Family education and support" service
- Add "Injection of psychotropic medication" service

06/27/95 Correct ALCOHOL.PRIOR_TX, ALCOHOL.PREGNANT, and ALCOHOL.METHADONE field type to character rather than numeric

08/01/96 Add "Data systems requirements" section to "Introduction"

Add explanation of file naming conventions to "Data Submissions" section

Add "Assistive technology" service

Add "Home and community based services - MR/DD waiver" service

Add "Pre-admission screening" service

Revise definition of CLIENTS.LOC_CODE for non-private providers as assigned locally, not by DMH

Revise CLIENTS.COUNTY to include county three letter abbreviation code

Revise inpatient services for psychiatric hospitals

Remove all non-private providers from "DMH program location codes" section

11/24/98 Revise "Introduction" text including "Data validation rules" section and "Data system requirements" section

Revise definitions of "Partial Day" and "Outpatient" services on "Program Element terminology" chart

Revise "Data crosswalks" to comply with 01/30/98 edition of CSAT Treatment Episode Data Set (TEDS) State Instruction Manual

Revise all CSAT related references from Client Data System (CDS) to newer terminology of Treatment Episode Data Set (TEDS)

05/15/00 Remove "DMH program location codes" section of manual

Revise "Data Submissions" section of manual to include "Data format conventions for data submissions" information

Add, rename, and/or revise various CLIENT codes:

- Revise ORG_CODE comments to note organizations may use a separate set of codes to distinguish separately licensed entities within the organization
- Revise field description "Disability category" to "Treatment category"
- Revise field description "Primary disability" to "Primary treatment category (if dual)"
- Revise ADM_REFER and DIS_REFER to include codes for "Nursing home", "Boarding home", "Group home", and "Other social services agency"
- Revise CLI STATUS field definition to a numeric width of 2

Revise CLI_STATUS codes to include respite admissions (new and readmit) as codes "04" and "05"; "Active - medical" as code "06"; "Removed from waiting list" as code "00"; "Discharged - outpatient commitment (SPHs only)" as code "10"

- Revise CLIENTS.LEG_STATUS codes to include "Involuntary revoked outpatient commitment" as code "6"; "Other legal" as code "7"; and "Treatment ordered" as code "9"
- Revise CLIENTS.DIS_STATUS codes to include "Client eloped" as alternative inpatient definition for code "8"

Add, rename, and/or revise various SERVICE descriptions:

- Add "Aftercare" service (substance abuse)
- Add "Crisis intervention" service
- Add "Crisis residential children/youth" service
- Add "Psychiatric services children/youth acute treatment" service
- Add "Psychiatric services children/youth long term" service
- Add "Psychiatric services crisis stabilization unit" service
- Rename "Intensive outpatient" as "Intensive outpatient substance abuse"
- Rename "Supervised apartments" as "Supervised housing"
- Revise definition of "Emergency services", "Intensive case management"
- Revise definition of "ICF-MR-Small" (DMH service/program code 152) to "15 or fewer beds" to concur with Medicaid definition
- Revise definition of "Psychiatric services children/youth short term"
- Revise definition of "Therapeutic day treatment children/youth"
- Rename "Crisis residential adult" to "Intensive residential adult"
- Rename "Crisis residential child/youth" to "Intensive residential child/youth"

Add NRI Oryx sub-section to "Data Crosswalks" section of manual

Add, revise TEDS NRF ID numbers for Regions 7,8,9,12 in "Data Crosswalks" section of manual

Correct CROSSWALK reference: TEDS NUM_PRIOR field crosswalks from DMH ALCOHOL.NUM_PRIOR field

07/28/2008 Revise Introduction 's references to Word Perfect.

Revise A&D / TEDS file submission information to omit reference to media.

Revise "Data submissions" section to more fully describe current file layouts and submission.

Revise Clients section to change Source values and to take out 2nd Source column.

Add Medicaid number, State ID, INTEGRATED_TREATMENT, ACT_TREAT, PROGRAM_CODE, and A&D related fields to Clients database definition.

Revise race codes to separate "Asian" and "Pacific Islanders" and add "Reporting multiple race categories" code.

Add code for "unknown" to Hispanic origin field.

Add additional "type of residence" codes for categories in URS table 15.

Changed some comments fields to indicate that date must be in YYYYMMDD format.

Add "CHIP" as payment source to CLIENTS.PAYMENT field

Add "unknown" value for VET_STATUS.

Allow "99" as value for PROBLEM_2.

Allow "0" as value for DSM_PRIN if only one DSM diagnosis is reported.

Add comment concerning INPAT, RESID, PARTI, OUTPA, and CASEM SERV fields.

Change name of program element, "Partial Day" to "PSYCHOSOCIAL REHABILITATIVE/Day program options" and program element, "Outpatient" to "PSYCHOTHERAPEUTIC SERVICES/Outpatient"

Change names of A&D "convictions" fields to "arrests" and make corresponding changes to descriptions.

Changed list of A&D drug codes

Add additional A&D discharge fields.

Created new headings within series 100 services to more emphatically distinguish services 151, 152, 153 as not being referred to as "INPATIENT" services.

Changed names of services 151 and 153.

Added "MISCELLANEOUS" group of services (800 series).

Added "HOME AND COMMUNITY BASED SERVICES (MR/DD WAIVER) group of services (900 series)

Made changes to service descriptions for services 102, 104, 110, 153, 201, 202, 204, 205, 206, 207, 303, 304, 305, 306, 307, 308, 309, 401, 403, 407, 415, 501, and 502.

Marked services 201, 301, 302, 303, 304, 307, 308, 310, 401, 403, 407, 408, 410, 411, 412, 413, and 501 as Superseded.

Added service codes 214, 215, 216, 311, 312, 313, 314, 315, 316, 317, 318, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 504, 505, 506, 507, 508, 602, 704, and 705 to already existing groups.

Deleted service codes 701, 702, and 703.

12/01/2010 Change name of Juvenile Rehabilitation Center to Mississippi Adolescent Center

Revised "Introduction" section to remove Software standards and Federal Data Standards explanation

Added "Program Code" to Program element terminology

Revised "Data Validation" Section to move ENT_DATE and EXT_DATE from ALCOHOL data set to all data sets

Removed "Employee data set" from all applicable sections

Deleted "Service schema" from Client data collection hierarchy

Revised "Data submissions" section to remove tables, renumber data sets and remove CSAT data set.

Revised "File naming conventions for data submissions" section to reflect the 4 required files

Added Codes and updated comments for "Program Codes"

Removed delete as a potential value for RCD_TYPE

Changed "alcohol and drug services client data subset" to reflect new field numbers starting with 62, and changed name of A&D entry data to SA_ENT_DATE

Updated "MS county data set" to reflect changes in CMHC regions

07/01/2012 Updated Service Codes to match DMH Operational Standards.

07/01/2014 Updated Substance Abuse Client Dataset

Revised Services Dataset; Removed superseded codes and codes valid until 7/1/2012. Added IDD Waiver codes (920-923), MYPAC (435), and Urine Drug Screens (809).

Updated COUNTY data set; removed CMHC 105 from list of regions.

Added Section, Technical Requirements Removed Section, Data Crosswalks

01/14/2015 Updated Service Codes and Descriptions to match DMH Operational Standards

Updated "MR" to "IDD"

02/01/2015 Updated Substance Abuse SUB_CODE values

03/01/2015 Updated Service Codes

04/01/2015 Updated Service Codes

Introduction

Introduction

The *Manual of Uniform Data Standards* is designed to promote consistency in the collection, processing, submission, and reporting of data within the Mississippi Department of Mental Health (DMH). The DMH administers, coordinates, or certifies services delivered at more than 500 sites throughout the state. Collecting electronically based information about the persons served by this complex array of providers requires that all parties share a common set of data standards. This manual is designed to serve as a sourcebook for defining and maintaining these standards.

The DMH Manual of Uniform Data Standards is not an all-encompassing repository that attempts to catalog every data element collected throughout all programs administered and/or certified by the Mississippi Department of Mental Health. Such a listing would run to many volumes and, in all likelihood, remain perpetually out of date. Rather, the manual has the more practical goals of defining:

- a) Common data elements that the Department of Mental Health requires all programs to collect for agency-wide demographic and statistical reporting,
- b) Data elements either mandated or strongly recommended for collection by federal or other oversight agencies.

Even in the case of these more general standards, changes occur with a high degree of regularity. The objective of this manual has been to obtain a reasonable level of consensus that will facilitate exchanges of information without undue restrictions. Suggestions that can help in improving this process are welcomed. Please address any comments or questions to:

Director, Division of Information Systems Mississippi Department of Mental Health 1101 Robert E. Lee Building 239 N. Lamar Jackson, MS 39236

Tele: 601-359-1288 Fax: 601-359-6295

Key terms

The purpose of a dictionary is to provide an authoritative set of definitions for words and phrases. This manual is intended as a data dictionary for the Department of Mental Health. Besides defining the meaning of data elements such as "Type of residence", it also makes use of other terms in specific ways. One of the difficulties in discussing mental health care is the various meanings which can be attached to words such as "agency", "organization", "facility", "program", "residential", "services" and many others. The following are key terms and their usage within the context of this manual:

An **ORGANIZATION** is an entity which administers services to clients. Regional mental retardation centers, state psychiatric hospitals, and regional community mental health centers are all organizations. Some ICF/MR organizations operate several separate **LICENSE UNITS**. These license units are accredited independent of each other and therefore are viewed as autonomous. The larger state psychiatric hospitals administer multiple distinct service entities, each under separate licensures. These can include: psychiatric services, chemical dependency units, nursing home units, and medical/surgical hospital units. It can be expected that some organizations will find it necessary to distinguish these components separately. Developing an organization model involving these service components, sometimes referred to as **AGENCIES**, is left to the discretion of the organization.

Most larger organizations offer services from multiple locations. **LOCATION CODES** identify the various places where the organization provides services. In some cases there may be more than one location code for a single address. For example, regional mental retardation centers provide 24 hour institutional services for clients on their main campuses. Some centers also operate early intervention programs (EIP) on their main campus. Because the EIP offers a different set of services to a completely different group of clients, it may be identified by its own distinctive location code. Also, in some cases multiple sites may be consolidated under a single location code if, as in the case of supervised apartments, the program is dispersed among a number of physical locations which are subject to frequent change.

Each location may offer one or more **SERVICES** to clients. Services are treatment modalities. *The DMH core services are defined on the basis of the programmatic intent of the service, not the source(s) of funding for that service.* See the "DMH services data set" for a current listing and description of DMH service codes. Since treatment is constantly evolving, new services emerge over time. The DMH administers and certifies services to clients who fall into one or more of three broad **CATEGORIES** of service needs: mental health, mental retardation, and/or substance abuse. Within these broad treatment categories, specific populations are often identified. These include elderly persons, persons with serious mental illness, and homeless persons. From a data systems

perspective, however, these groups are demographic subsets of the three primary treatment categories.

MHSIP standards encourage the classification of all services into one of five **PROGRAM ELEMENTS** based primarily on the intensity of treatment: inpatient (24 hr care), residential (overnight services), psychosocial rehabilitative (services typically lasting 3-6 hours, psychotherapeutic (services typically scheduled in increments of one hour or less and usually occurring in a clinical setting), and case management. (See the "Program element terminology" chart in this section for a more detailed description of the five program elements.)

A **CLIENT** is a person receiving services at a location (or from staff operating out of a location). Clients are **ADMITTED** to an organization in order to receive these services. Some organizations are arranged into **PROGRAMS**, usually defined by the treatment category (MH, IDD, SA) being served. Clients **ENTER** into and **EXIT** from these programs during their period of active enrollment in the organization. Regardless of the organizational structure, admitted clients receive one or more **SERVICES** during their enrollment. For example, a client referred to a community mental health center might, after evaluation, enter their "substance abuse" program. Within this program, the client could receive "primary residential treatment" service. The client may then transfer to "transitional residential treatment" and finally be enrolled in "aftercare" to support continued sobriety. It is also possible for a client to be receiving several different treatment services concurrently. For example, persons participating in psychosocial rehabilitative services in a psychotherapeutic program may also be enrolled in a residential program. Movement from one treatment service to another is considered a **TRANSFER**.

When a client is no longer receiving services from the organization, he/she should be **DISCHARGED** from the active client roster. The period encompassed from the time of admission to the time of discharge is considered one **TREATMENT EPISODE**. It is possible for a client to have a case history within any given treatment facility that comprises multiple **TREATMENT EPISODES**.

The DMH core data elements which are associated with the above cited terms are:

ORG_CODE Organization identifier (assigned by DMH)

LOC_CODE Location code

Service codes:

INPAT_SERV Inpatient service codes RESID_SERV Residential service codes

PARTI_SERV Psychosocial rehabilitative service codes

OUTPA_SERV Psychotherapeutic service codes CASEM SERV Case management service codes

CLI_ORG_ID Unique client identifier within organization

STATE_ID Unique client identifier agency-wide

ADM_DATE Date of admission to organization

ENT_DATE Date of entry into specific treatment program

EXT_DATE Date of exit/transfer from specific treatment program

DIS_DATE Date of discharge from organization

As noted elsewhere in this manual, "program" is an extremely nebulous term when used in mental health and mental retardation settings. This manual uses "services" as a generic term for the treatment modalities listed and described in the "DMH services data set" section.

Conflicting and evolving terminology

Efforts to implement uniform data standards across entities providing mental health, mental retardation, and substance abuse services is bound to invite vigorous debates over differences in the use of terminology. One problem confronting attempts to define terms is the ambiguous way in which many words are used. Consider some of the different uses of the word "program" in a service delivery context: to describe a location ("Our program in Lucedale"), to describe a specific service ("Our psychosocial rehab program"), to describe a related set of services for a specific group of clients ("Our substance abuse program"), or to describe an entire array of services ("Our clinical program"). Absent common agreement on key terminology by all persons involved, data systems will be unable to properly organize and report information.

A second consideration is the ever evolving social perception of words. Social views on the appropriateness or inappropriateness of specific terms take on a strong emotional context. As an example, the use of the terms "idiot", "imbecile", and "moron" in any modern service setting would be considered inappropriate and extremely offensive. Yet these same terms were once routinely used in scientific literature to describe persons with profound, severe, and moderate levels of mental retardation. An underlying concept of broadly classifying persons with mental retardation according to intellectual / functional criteria did not change; what did change were societal attitudes concerning the acceptability of a specific set of words. In the era of mass communications, there has been a drastic compression in the time required for terminology to gain common use, to undergo a rapid shift in connotation, or to fall into social disfavor.

A final difficulty arises from the fact that the fields of mental health, mental retardation, and substance abuse often employ different treatment modalities and use terminology in distinctive or different ways. Clinicians can be extremely reluctant to compromise on terminology which is felt to distinguish a particular service from another. However, persons using this manual are urged to focus their attention more on the fundamental concepts described herein than on the terms used to represent these concepts. This manual is not the vehicle to resolve issues such as what word is most appropriate to describe a person receiving services (consumer, client, patient). Rather, there is a recognition that most modern data systems allow service providers to alter such "labels" to appear on computer screens as they desire.

As noted above, social perceptions about the meaning of words are now subject to rapid change. It is likely that some of the terms used in this manual may come to be viewed in a different context over time. Organizations that perceive any data "label" used in this manual to be unsuitable may request to use alternative terminology for their computer system screens and/or their intake forms. However, the underlying concept and utility of the field must be retained and the data from the field must be downloaded using the standard codes specified in this manual.

The program element classification used in this manual is derived from MHSIP standards. These standards reflect a mental health focus. Since some differences occur across the major service areas, the following table provides a "crosswalk" of program element terminology:

Program Element Terminology

Program Element	Mental Health	Substance Abuse	Mental Retardation
24 Hr intensive client care and treatment provided within a highly structured and closely supervised setting (e.g., hospital, nursing home, ICF/IDD).	Inpatient	Inpatient	Residential
Treatment program that involves the client living on premises. The program may involve a concurrent course of treatment or simply provide a place of residence for persons with specific needs.	Residential	Residential	Community-based Residential
Structured programs that clients usually attend on a regular basis and which usually have a duration of 3 or more hours.	Psychosocial rehabilitative	Partial day or Day treatment	Partial day or Day treatment
Services provided to clients usually based upon scheduled appointments and generally having a duration of less than 3 hours. Services may be provided on an individual or group basis, usually in a clinical setting.	Psychotherapeutic	Outpatient	Outpatient
Services that provide individualized attention emphasizing some type of intervention or participation in the natural environment of the client.	Case Management	Case Management and Aftercare	Case Management or Service Coordination
Emergency services allow for the assessment of the crisis and ability to activate a mobile crisis team. Consultation and Education services inform the public of programs and increase community awareness of MH related issues while developing linkages with other health and social agencies that serve the target population. Home and Community Based Services are offered for individuals living in family home but require assistance with specific daily needs.	Emergency and Miscellaneous	Emergency, Consult/Educ/ Prev and Miscellaneous	Emergency, Consult/Educ/Prev, Miscellaneous, or Home/Community Based Services

Core data and subsets

The Department of Mental Health provides services to persons with widely varying sets of needs. As a result, the agency anticipates requirements to collect data on persons within various treatment categories. An example is the CSAT TEDS data set mandated for persons enrolled in substance abuse programs.

Given the broad array of persons served, it would be cumbersome and unwieldy if the DMH attempted to incorporate all data items that might conceivably be asked of every treatment population into one universal client data structure. CSAT data requirements on type and frequency of substance use, for example, would probably have little applicability for clients enrolled in mental retardation programs. As an alternative, the Mississippi DMH has established a *core client data set*. The core data includes those basic data items deemed applicable across all treatment services. The core data set will be supplemented, as needs and mandates require, by data subsets designed for specific service populations or treatment programs. Client data under this concept can be viewed as existing in one of four layers:

Mandated core data set
Mandated target service populations data subsets
Shared organizational data subset
Local organization data subset

A design goal of the DMH is that information systems within organizations treating multiple service populations be able to prompt users for entry of client data subsets when core data indicates the client is a member of one of the targeted groups. Such systems would maintain a relational link between the client information in the core data set and that located in one or more data subsets.


The third layer of data subset allows for items developed by and shared among groups of facilities or treatment programs with a common mission. For example, the community mental health centers might all agree that their client data set include driver's license number and state of issuance, even though this is not mandated at the federal or state level. The DMH encourages facilities to work cooperatively to establish shared data standards for non-mandated data items.

The final layer captures those data items unique to a given organization. It is hoped that information systems will be able to accommodate local needs with minimum effort through the incorporation of user defined fields.

Service schema


The following schema graphically represents some of the concepts of service delivery and data collection layers described in the preceding text:

1. Organization service delivery hierarchy



This hierarchy depicted above a conceptual model, not a mandated structure. Larger organizations may need to subdivide their organization into distinct administrative entities operating under separate licensure. It could be argued that a specific service LOCATION (Hope Haven, Smallville, MS) may fall under the organizational umbrella of a PROGRAM (Substance Abuse). More often, however, service locations are used to offer more than one program of treatment. Those who experience any major distress over the depicted hierarchy should re-conceptualize it as they desire.

2. Client treatment hierarchy



Once a client is ADMITTED into an organization he/she may be enrolled in a number of different programs over the course of treatment. The client can ENTER and EXIT these programs

sequentially (one following the other) or simultaneously (one concurrent with the other). When the course of treatment has been concluded, the client is DISCHARGED from the organization.

Data validation rules

The following are rules which are recommended to validate the data entered in certain fields of the DMH data sets. While not mandatory, data validation of the type described will assist in the collection and entry of correct information. This list is a foundational set of validation rules. Additional rules are noted in the data dictionary. During data entry, systems should restrict users to entering only those code values that have been defined for each field.

CLIENTS Dataset

CLI ORG ID

Unique client ID within organization: The system (and organization policy) should not permit entry of a client ID number that duplicates the ID of an already active client. It is desirable that systems allow cross checking of previously assigned client ID numbers using various search criteria: name, maiden name, alias (if captured), approximate date (month/year) of previous admission or discharge.

Entry of a preexisting but inactive client ID number should alert the input operator that the number has been previously assigned and bring up key client data for identification purposes.

If an admission record is being created utilizing a previously unassigned client organizational ID, but the client's Social Security number already exists in an inactive record within the system, the discrepancy should be flagged with a caution message at input. (New SS_NUMBER = previous SS_NUMBER but new CLI_ORG_ID <> previous CLI_ORG_ID.)

ADM_DATE

Admission date (most recent) to organization: The system should display a caution message if admission date exceeds the current system date by more than 7 days. (Users should not be routinely pre-entering clients into the system over one week in advance of the current date.)

The system should display a caution message if admission date predates the current system date by more than 30 days

SS_NUMBER

Client Social Security number: The system should not permit entry of a Social Security number for an active client if a duplicate Social Security number already exists for another active record.

If a Social Security number for a new admission does not match the one recorded for a previous admission, the system should display a caution message at input. (New CLI_ORG_ID = previous CLI_ORG_ID but new SS_NUMBER.)

BIRTH_DATE

Birth date of client: Date entered should not exceed current system date or result in an age that is a negative.

HANDICAP_2 Client handicapping condition: Entry should not duplicate entry for HANDICAP 1. Client problem at admission: Entry should not duplicate entry for PROBLEM 1. PROBLEM 2 DISAB DUAL Primary disability category if dually diagnosed: The system should not permit erroneous combinations with DISAB_CATE field (disability category). (DISAB_CATE = 04 [Dual: MH/IDD] but DISAB_DUAL = 3 [primary problem substance abuse]). DIS_DATE Discharge date: The discharge date should not predate the most recent ADM_DATE (admission date). The system should display a caution message if discharge date exceeds current system date by more than 7 days. The system should display a caution message if discharge date precedes current system date by over 30 days ENT_DATE Program entry date: The program entry date should not predate the most recent ADM_DATE (admission date into organization). (A client cannot enter a program within an organization prior to being admitted to the organization.) **EXT DATE** Program exit date: The program exit date should not exceed the DIS DATE (discharge date from organization) if discharge from organization has occurred. (A client cannot exit a program within an organization after he/she has already been discharged from the organization.)

Data submissions

There are four data submission standards currently in effect:

1) Mental Health Core Client data set (D)

SOURCE: Mental Health Core Client Data set standards

SCOPE: Clients admitted, updated, transferred, or discharged (within date range)

DUE: Monthly (20 days after end of month)

FORMAT: ASCII comma delimited

ARCHIVE: Cumulative (each submission is added to previous data submissions)

Comments: At the Central Office level, the core client data set is cumulative, with each record submission appended to previously submitted discharge records. The active data set provides the foundation for an agency-wide client tracking system.

"Transfers" refer to movement of persons enrolled in MH programs from one treatment modality (service) to another. DMH requires tracking of these changes in service. A listing of DMH service codes can be found in the "Services" section of this manual. The transfer record structure is similar to the DMH admission/discharge record structure. Most data fields in the client admission record can be simply copied to the transfer record submission. Fields which must be updated are:

RPT_DATE RCD_TRANS ENT_DATE
EDUCATION MARITAL LIVING_ARR
RESID_ARR EMPLOYMENT INCOME_SRC
INCOME_HOU DSM_1 DSM_2

The CDR will disallow the upload of a complete file if the prior month's file has more than 5% of its records in error, but if the file has less than 5% errors all records except those that had an error will be uploaded to the CDR. The client records that erred out were not uploaded to the CDR. If those errors are not corrected, errors will accumulate as consistency errors and services BY_ID errors.

2) Substance Abuse Client data subset (A)

SCOPE:

SOURCE: Mental Health Core Client data set standards and

Substance Abuse data subset standards NEW ADMISSIONS for previous month

TRANSFERS (among SA services) for previous month

DISCHARGES for previous month CHANGES for previous month

DUE: Monthly (20 working days after end of month)

FORMAT: ASCII comma delimited

ARCHIVE: Cumulative (each month's submission is added to previous data submissions)

Comments: The Substance Abuse (SA) data set should be drawn from those clients who have a DISAB_CATE = 3 (substance abuse), or those with a DISAB_CATE of 5-7 (dual disability with substance abuse as a component). The SA data set information must be collected and entered for all persons who have been assigned these DISAB_CATE codes.

At the Central Office level, the SA database is cumulative. Each month's new admissions, service transfers, and discharges are added into the existing database.

"Transfers" refer to movement of persons enrolled in SA programs from one treatment modality (service) to another. DMH SA requires tracking of changes in service. A listing of DMH service codes that constitute a "transfer" can be found in the "Services" section of this manual. The transfer record structure is identical to the DMH SA admission/discharge record structure. Most data fields in the client admission record can be simply copied to the transfer record submission. Fields which must be updated are:

RPT_DATE	RCD_TRANS	ENT_DATE
EDUCATION	MARITAL	LIVING_ARR
RESID_ARR	EMPLOYMENT	INCOME_SRC
INCOME_HOU	DSM_1	DSM_2
SA_ENT_DATE	DIS_LIVING	DIS_RESID
DIS_EDUC	DIS_EMPLOY	ENTSA_DATE

The CDR will disallow the upload of a complete file if the prior month's file has more than 5% of its records in error, but if the file has less than 5% errors all records except those that had an error will be uploaded to the CDR. The client records that erred out were not uploaded to the CDR. If those errors are not corrected, errors will accumulate as consistency errors and services BY_ID errors.

3) Intellectual and Developmental Disabilities Client data set (I)

SOURCE: Intellectual and Developmental Disabilities Client data set standards
SCOPE: Clients admitted, updated, transferred, or discharged (within date range)

DUE: Monthly (20 days after end of month)

FORMAT: ASCII comma delimited

ARCHIVE: Cumulative (each submission is added to previous data submissions)

Comments: At the Central Office level, the core client data set is cumulative with each record submission appended to previously submitted discharge records. The active data set provides the foundation for an agency-wide client tracking system.

"Transfers" refer to movement of persons enrolled in IDD programs from one treatment modality (service) to another. DMH requires tracking of these changes in service. A listing of DMH service codes can be found in the "Services" section of this manual. The transfer record structure is similar to the DMH admission/discharge record structure. Most data fields in the client admission record can be simply copied to the transfer record submission. Fields which must be updated are:

RPT_DATE RCD_TRANS ENT_DATE EDUCATION MARITAL LIVING_ARR

RESID_ARR EMPLOYMENT INCOME_SRC INCOME_HOU DSM_1 DSM_2

The CDR will disallow the upload of a complete file if the prior month's file has more than 5% of its records in error, but if the file has less than 5% errors all records except those that had an error will be uploaded to the CDR. The client records that erred out were not uploaded to the CDR. If those errors are not corrected, errors will accumulate as consistency errors and services BY_ID errors.

4) DMH Services data set (S)

SOURCE: DMH Services Data set standards

SCOPE: SERVICES performed within previous month DUE: Monthly (20 days after end of month)

FORMAT: ASCII comma delimited

Comments: The CDR will disallow the upload of a complete file if the prior month's file has more than 5% of its records in error, but if the file has less than 5% errors all records except those that had an error will be uploaded to the CDR. The client records that erred out were not uploaded to the CDR. If those errors are not corrected before submission the next month the services file will continue to increase error rate because of BY_ID errors. The BY_ID field is the client identifier in the service file. The BY_ID errors are mainly created because the client record from the "A", "D", or "I" file had erred out and was never corrected so when the service for that client was reported in the "S" file, the system could not find the matching client data. The goal is to have 0% error rate on each file, this way you know all your records have been recorded in the CDR.

File naming conventions for data submissions

The following naming conventions are to be used for files submitted to DMH:

- 1) The file name must be composed of an eight letter identifier, followed by a period and a three letter extension. For all ASCII files the extension must be "TXT." Refer to the examples listed below.
- 2) The eight letter file identifier must be composed of four components: a) an initial single letter code indicating the download submission type, b) a three number code identifying the organizational code (ORG_CODE) of the originator, c) a two number code indicating the year of submission, and d) a two number code indicating the month of submission. The initial single character codes are as follows:
 - A Alcohol and Drug download (ASCII comma delimited)
 - D Mental Health Core Client download (ASCII comma delimited)
 - I Mental Retardation / Intellectual and Developmental Disabilities Core Client download (ASCII comma delimited)
 - S Services download (ASCII-comma delimited)

Some examples of downloaded file names are:

A1019901.TXT	DMH Alcohol and Drug download ("A") from CMHC Region 1 ("101") submitted in 1999 ("99"), month of January ("01")
D2010304.TXT	DMH Active client core dataset download ("D") from Mississippi State Hospital ("201") submitted in 2003 ("03"), month of April ("04")
I1120107.TXT	DMH Mental Retardation / Intellectual and Developmental Disabilities download ("I") from CMHC Region 12 ("112") submitted in 2001 ("01"), month of July ("07")
S3020612.TXT	DMH Services data set download ("S") from Hudspeth Regional Center ("302") submitted in 2006("06"), month of December ("12")

3) System will show an error if the three-digit organization code in the filename does not match the assigned organization code of the user to prevent uploading data to the incorrect organization. System will also display an error if the year and month submission are out of sequence or when the previous error rate exceeded the 5% threshold.

Date format conventions for data submissions

All applications programs used to collect the data elements defined in this manual must be capable of accepting, storing, and downloading date field information that incorporates a four digit year. The ASCII delimited submissions must generate date information as an 8 digit number arranged in a YYYYMMDD format (e.g., November 28, 2003 should download as 20031128), unless otherwise specified. Any data submissions to DMH that lack correctly recorded four-digit year information will not be accepted.

Data Systems Requirements

It is recommended that all DMH facilities, community mental health centers, and other service providers operating under certification from the Department of Mental Health acquire and maintain data systems capable of meeting client demographic and fiscal management needs.

The following are strongly suggested as minimum criteria for data systems:

- The data system must utilize relational database design technology. Data should be stored in normalized tables and be accessible by third party query and report writing software through Structured Query Language (SQL).
- The data system should be certified and verified as Year 2000 compliant. All date fields should be capable of accepting and processing four digit years (e.g., "03/23/2000"). If the system allows user entry of two digits in a year field (e.g., "98", "03"), the system default century should be clearly displayed.
- The data system should exhibit a high degree of user configurability. Organizations should be able to add user defined fields without programming. It should be possible to alter the screen data field labels to those preferred by the organization without customization of the data system.

- The data system must be capable of collecting all data specified in this manual. It should be possible to add any missing fields in a logical sequence without customization of the data system.

- The data system must have built-in support for a minimum of 3 sets of correlated codes can be established. Such capability will allow organizations to maintain internal codes but also support alternate coding standards with minimal difficulty. Refer to the "Data Crosswalks" section of this manual for specific examples of situations in which data crosswalks are required.
- The data system should have a fiscal component that is consistent with GAAP standards.
- The data system should be capable of supporting unit cost reporting.
- The data system must be capable of cross-walking from internal cost center codes to DMH service codes.
 This is necessary to produce service enrollment data for the core client demographic download. It is also necessary for organizations to report on the quantity of services rendered without regard to funding source.
- The data system should support the use of both DSM and ICD diagnostic codes. It should allow crosswalks between the two coding systems as required for billing purposes.
- The data system must support electronic billing for Medicaid and Medicare (Part A and Part B).
- In addition to tracking client admissions and discharges, the data system should have the capability to record client enrollments in specific programs / services during the overall treatment episode within the organization (see "Introduction: Key Terms").
- For organizations providing alcohol and drug abuse services, the data system must support the entry and downloading of data mandated by the DMH Division of Alcohol and Drug Abuse. These data requirements are included in the *Manual of Uniform Data Standards*.
- The data system should maintain historical information on selected client demographic data to assist in assessing outcome measures. At a minimum, the following client data should be tracked historically:

Education Marital status

Living arrangement Residential arrangement Employment status Primary source of income

Annual household income Diagnoses

- The data system should incorporate as many of the "Data validation rules" listed in this manual as is practical.
- The data system must produce data downloads in the format specified in the "Data submissions" section of this manual. The downloaded files must follow the <u>naming conventions</u> outlined in the "Data submissions" section.

Core client data set

Data elements of the Core Client Dataset

Field	Field Description	Field Name	Туре	Width
1	Report date: date information was submitted	RPT_DATE	N	8
<u>2</u>	Record transaction type (add, change, delete)	RCD_TRAN	N	1
<u>3</u>	Organization code	ORG_CODE	N	3
<u>4</u>	Program location code	LOC_CODE	С	4
<u>5</u>	Unique client ID within organization	CLI_ORG_ID	С	9
<u>6</u>	Client status	CLI_STATUS	С	2
7	Admission date (most recent) to organization	ADM_DATE	N	8
<u>8</u>	Admission type(primary, collateral, unregistered)	ADM-TYPE	N	1
<u>9</u>	Admission referral category	ADM-REFER	С	2
<u>10</u>	Admission referral organization code (DMH only)	ADM-REF-OR	N	3
<u>11</u>	Legal status of client at admission	LEG_STATUS	N	1
<u>12</u>	Client last name	LAST_NAME	С	15
<u>13</u>	Client first name	FIRST_NAME	С	15
<u>14</u>	Client maiden name (if applicable)	MAID_NAME	С	15
<u>15</u>	Social Security number (unique client identifier)	SS_NUMBER	N	9
<u>16</u>	Birth date	BIRTH_DATE	N	8
<u>17</u>	Age of client (calculated from birthdate)	AGE	N	3
<u>18</u>	Sex	SEX	С	1
<u>19</u>	Race	RACE	С	1

Field	Field Description	Field Name	Туре	Width
<u>20</u>	Hispanic origin	HISPANIC	С	1
<u>21</u>	Education level: last grade completed	EDUCATION	С	2
22	Marital status	MARITAL	С	1
<u>23</u>	County of residence prior to admission	ADM_CNTY	С	2
<u>24</u>	Living arrangement	LIVING_ARR	N	1
<u>25</u>	Type of residence	RESID_ARR	С	2
<u>26</u>	Employment status	EMPLOYMENT	С	2
<u>27</u>	Primary source of household income	INCOME_SRC	N	1
<u>28</u>	Household annual income amount	INCOME_HOU	N	6
<u>29</u>	No. of persons in household dependent on income	INCOME_DEP	N	2
<u>30</u>	Eligibility for SSI/SSDI	ELIG_SSI	N	1
<u>31</u>	Eligibility for Medicaid	ELIG_MCAID	N	1
<u>32</u>	Expected principal source of payment	PAYMENT	С	2
<u>33</u>	Veterans status	VET_STATUS	С	1
<u>34</u>	Physical impairment (1 of 2)	HANDICAP_1	С	2
<u>35</u>	Physical impairment (2 of 2)	HANDICAP_2	С	2
<u>36</u>	Presenting problem (1 of 2)	PROBLEM_1	С	2
<u>37</u>	Presenting problem (2 of 2)	PROBLEM_2	С	2
<u>38</u>	Treatment category (MH, IDD, SA, dual)	DISAB_CATE	N	1
<u>39</u>	Primary treatment category (if dual)	DISAB_DUAL	N	1
<u>40</u>	Is client seriously mentally ill? (Y/N)?	SPMI	С	1

Field	Field Description	Field Name	Туре	Width
<u>41</u>	Is client seriously emotionally disturbed child?	SEDC	С	1
<u>42</u>	DSM Axis 1 diagnosis	DSM_1	С	6
<u>43</u>	DSM Axis 2 diagnosis	DSM_2	С	6
<u>44</u>	Is DSM Axis 1 or 2 the principal diagnosis?	DSM_PRIN	N	1
<u>45</u>	Inpatient service code	INPAT_SERV	N	3
<u>46</u>	Residential service code	RESID_SERV	N	3
<u>47</u>	Partial day service code	PARTI_SERV	N	3
<u>48</u>	Outpatient service code	OUTPA_SERV	N	3
<u>49</u>	Case management service code	CASEM_SERV	N	3
<u>50</u>	Discharge date	DIS_DATE	N	8
<u>51</u>	Discharge status	DIS_STATUS	N	1
<u>52</u>	Discharge referral category	DIS_REFER	С	2
<u>53</u>	Discharge referral organization code (DMH only)	DIS_REF_OR	N	3
<u>54</u>	County of residence upon discharge	DIS_CNTY	С	2
<u>55</u>	Medicaid number	MCAID_NUMBER	N	9
<u>56</u>	State ID (Generated by CDR upon 1 st submission)	STATE_ID	N	9
<u>57</u>	Client receives integrated treatment	INTGR_TREAT	С	1
<u>58</u>	Indicates whether client receives ACT/PACT Assertive Community Treatment	ACT_TREAT	С	1
<u>59</u>	Program under which client receives treatment	PROGRAM_CODE	С	4
<u>60</u>	Entry date (most current) into program	ENT_DATE	N	8
<u>61</u>	Program exit date	EXT_DATE	N	8

Core Client Data Dictionary

1 Report date: date information was submitted

Field name: RPT_DATE Type: N Width: 8

Comments: Required. Field indicates date of data submission download from provider's software system. Information in this field should be automatically inserted by the program during download. Date must be in YYYYMMDD format.

Relational Edit: Report date and admission date are cross-checked. Report date must be the same date as the admission date or later.

2 Record transaction type

Field name: RCD TRANS Type: N Width: 1

Codes: 1 = Add admission record

2 = Add transfer record

3 = Change record (correction)4 = Change record (update)

Comments: Indicates the record transaction which should occur at the central repository level.

For each admission event, a client should have only one record with (1) Add admission record. This record serves as the client's initial status upon admission. Any record uploads after the initial admission record should be an update, correction, or transfer.

DMH standards require posting of transfers from one service to another within an organization.

"Change Record" codes indicate either corrections or updates to previously submitted client records. A correction allows core client data that was erroneously submitted to be replaced with the correct client data. A correction will replace the most recently uploaded client record in the database. To correct an earlier record, users must the website and select the record entry that should be corrected. Dates and State ID cannot be corrected by upload file or website. An update adds a record to the database instead of replacing. Updates provide changes to the core client data such as life events (marital status, employment, residential arrangements, etc) as well as client status updates (discharge).

Relational Edit: Client status (field 6) is checked to this field. If RCD_TRANS = 1, client status cannot be a discharge status (09, 10).

3 Organization code

Field name: ORG_CODE Type: N Width: 3

Codes: 101 = CMHC Region 1

102 = CMHC Region 2 103 = CMHC Region 3 104 = CMHC Region 4

106 = CMHC Region 6

107 = CMHC Region 7

108 = CMHC Region 8

109 = CMHC Region 9

110 = CMHC Region 10

111 = CMHC Region 11

112 = CMHC Region 12

113 = CMHC Region 13

114 = CMHC Region 14

115 = CMHC Region 15

201 = Miss. State Hospital

202 = East Miss. State Hospital

203 = North Miss. State Hospital

204 = South Miss. State Hospital

205 = Central Miss. Residential Center

206 = Spec. Treatment Facility

301 = North Miss. Regional Center

302 = Hudspeth Regional Center

303 = Boswell Regional Center

304 = Ellisville State School

305 = South Miss. Regional Center

306 = Mississippi Adolescent Center

Comments: Information in this field should be automatically inserted by the software during download. The field denotes the "umbrella" organization code. Individual service sites operated by the organization are identified by their "Program location code" (LOC_CODE). Some organizations may also need to be subdivided into administrative subcomponents based on separate licensures. These entities can be given separate codes as long as the assigned organization code can also be generated. Private providers are assigned organization codes in the 700-999 range.

4 Program location code

Field name: LOC CODE Type: C Width: 4

Codes: Location Codes are assigned by each organization. Location codes are maintained on the CDR website, under menu option titled "Provider Specific Codes".

This field is used to identify physical locations from which large multi-site Comments: organizations provide services. Each organization must add and maintain "Program location codes" on the CDR website. Location codes should be within an allowable range from 0001 to 9999 and codes should be unique. For DMH purposes, location codes should be limited to physical sites administered by the organization rather than ancillary service delivery sites such as schools, jails, etc. Note that in some cases separate program location codes may be used to identify two very distinct programs sharing a single physical address. Also, when there are a number of service sites for a single program, such as supervised apartments, they may be grouped under a single "Program location code" representing the administrative entity.

Relational edit: Location codes will be cross-checked to the approved location list.

5 Unique client ID within organization

Field name: CLI_ORG_ID Type: C Width: 9

Comments: The client's "Unique client ID" (CLI_ORG_ID) should be generated within each organization for internal identification of clients. It can be up to 9 characters in length. Every effort should be made to insure the ID remains unique to a single client. The same ID should be reused if and when the client is readmitted to the organization.

6 Client status

Field name: CLI_STATUS Type: C Width: 2

Codes: 00 = Removed from waiting list

01 = Active - new admission 02 = Active - re-admission 03 = Active - evaluation only

04 = Active - respite (new admission) 05 = Active - respite (re-admission)

06 = Active - medical 08 = Waiting list only 09 = Discharged

10 = Discharged - outpatient commitment (SPHs)

Relational Edit: If client status indicates client is of discharge status (09, 10), then record transaction (field 2) must be an update record (4) and discharge data fields are required (fields 50-54). If record transaction field is 1, then client status cannot be a discharge status (09, 10).

7 Admission date (most recent) to organization

Field name: ADM_DATE Type: N Width: 8

Comments: Date of the most recent admission to the organization. Date must be in YYYYMMDD format. Admission date is a key field and cannot be changed (by update or correction) once it is accepted into the CDR.

8 Admission type (primary, collateral, unregistered)

Field name: ADM_TYPE Type: N Width: 1

Codes: 1 = Primary

2 = Collateral

3 = Unregistered

Comments: Applicable primarily to CMHCs. "Primary" clients are clients that directly receive services for his/her problem. "Collateral" clients are those receiving services because of problems arising from a relationship with another who is the primary recipient of treatment (i.e., family members participating in therapy with someone with a substance abuse problem). "Unregistered" clients are persons who are receiving services but for whom there is no clinical record.

9 Admission referral category

Field name: ADM_REFER Type: C Width: 2

Codes: 01 = DMH psychiatric hospital

02 = Other MS CMHC 03 = DMH IDD facility

04 = Private psychiatric hospital
05 = Other MH care provider
06 = Other IDD care provider
07 = Other SA care provider

08 = General hospital/other health care provider

09 = Self

10 = Family/friend

11 = School/educational agency

12 = Employer/EAP

13 = Police/sheriff

14 = Court/correctional facility

15 = Probation/parole 16 = Self-help program

17 = Vocational rehabilitation/job placement

18 = Nursing home (non-DMH)

19 = Boarding home

20 = Group home (non-DMH)

21 = Other social services agency

97 = Other

98 = Unknown

99 = None

Comments: If admission referral source is 01, 02, or 03 (a DMH operated facility or an in-state CMHC) then "Admission referral organization code" (ADM_REF_OR) should be recorded.

Relational edit: Field is cross-checked to field 10, ADM_REF_OR, when ADM_REFER is 01, 02, 03.

10 Admission referral organization code

Field name: ADM REF OR Type: N Width: 3

Codes: 101 = CMHC Region 1

102 = CMHC Region 2 103 = CMHC Region 3

- 104 = CMHC Region 4
- 106 = CMHC Region 6
- 107 = CMHC Region 7
- 108 = CMHC Region 8
- 109 = CMHC Region 9
- 110 = CMHC Region 10
- 111 = CMHC Region 11
- 112 = CMHC Region 12
- 113 = CMHC Region 13
- 114 = CMHC Region 14
- 115 = CMHC Region 15
- 201 = Miss. State Hospital
- 202 = East Miss. State Hospital
- 203 = North Miss. State Hospital
- 204 = South Miss. State Hospital
- 205 = Central Miss. Residential Center
- 206 = Spec. Treatment Facility
- 301 = North Miss. Regional Center
- 302 = Hudspeth Regional Center
- 303 = Boswell Regional Center
- 304 = Ellisville State School
- 305 = South Miss. Regional Center
- 306 = Mississippi Adolescent Center

Comments: Required if "Admission referral category" (ADM_REFER) entry is 01, 02, or 03.

Relational edit: This field can be blank when field 9, Admission Referral Category, is not 01, 02, or 03.

11 Legal status of client at admission

> Field name: LEG_STATUS Type: N Width: 1

Codes: 1 = Voluntary (referral)

2 = Involuntary - civil - adult psychiatric

3 = Involuntary - civil - adult chemical dep.

4 = Involuntary - youth court 5 = Involuntary - criminal

6 = Involuntary - revoked outpatient commitment

7 = Other legal status

9 = Treatment ordered (condition of probation or parole)

12 Client last name

> Field name: LAST NAME Type: C Width: 15

13 Client first name

Field name: FIRST_NAME Type: C Width: 15

14 Client maiden (or middle) name (if applicable)

Field name: MAID_NAME Type: C Width: 15

15 Social Security number

Field name: SS_NUMBER Type: N Width: 9

Comments: Cannot be blank.

Relational edit: This field cannot be blank. SSN is required to assign a State ID. Upon issue of client's State ID, SSN does not have to be submitted. If record is submitted with client's State ID, provider can submit record with 9 spaces instead of actual SSN.

16 Birth date

Field name: BIRTH_DATE Type: N Width: 8

Comments: Date must be in YYYYMMDD format. Date entered should not exceed current system date or result in an age that is a negative. Date must be after 18000101.

Relational edit: Birth date should be before or equal to admission date (field 7).

17 Age of client (calculated from birthdate)

Field name: AGE Type: N Width: 3

Comments: If the client's "Birth date" (BIRTH_DATE) is recorded, this field can be blank. Age can be calculated and updated using the birth date.

18 Sex/Gender

Field name: SEX Type: C Width: 1

Codes: F = Female

M = Male U = Unknown

Comments: It is acceptable to use the term "Gender" to identify this field.

19 Race

Field name: RACE Type: C Width: 1

Codes: A = Asian

B = Black/African American

I = Native American Indian

K = Alaskan native (Aleut, Eskimo, Indian)M = Reporting multiple race categories

O = Other

P = Native Hawaiian or other Pacific Islander

W = White/Caucasian

U = Unknown or not available

20 Hispanic origin

Field name: HISPANIC Type: C Width: 1

Codes: C = Cuban

M = MexicanP = Puerto RicanO = Other Hispanic

N = Not of Hispanic origin U = Unknown or not available

Comments: Hispanic origin is not a race, but rather is used to denote persons who identify themselves with Spanish culture or origins.

21 Education level: last grade completed

Field name: EDUCATION Type: C Width: 2

Codes: 51 = Preschool/kindergarten

52 = Special education

01 = First grade

••

12 = Twelfth grade

13 = GED

14 = Technical/trade school15 = Some college, no degree

16 = Associate degree 17 = Bachelors degree 18 = Masters degree

19 = Ph.D. 98 = Unknown

99 = Never attended school

Comments: This field should be updated regularly to assist in assessing outcome measures.

22 Marital status

Field name: MARITAL Type: C Width: 1

Codes: S = Single (never married or marriage annulled)

M = Married P = Separated D = Divorced W = Widowed U = Unknown

Comments: This field should be updated regularly to assist in assessing outcome measures.

23 County of residence prior to admission

Field name: ADM_CNTY Type: C Width: 2

Codes: (Refer to COUNTY data set for a listing of numeric codes.)

24 Living arrangement

Field name: LIVING_ARR Type: N Width: 1

Codes: 1 = Lives alone

2 = Lives w. relatives (nuclear or extended)

3 = Lives w. non-relatives

Comments: This field should be updated regularly to assist in assessing outcome measures.

25 Residential living

Field name: RESID_ARR Type: C Width: 2

Codes: 01 = Private residence (house, mobile home)

02 = Other independent (rooming house, dorm)

03 = Homeless/Shelter

04 = Institution (psychiatric hospital, IDD facility)

05 = Community program (nursing home, group home)

06 = Correctional facility

07 = Other

08 – Foster Home 09 – Residential Care 10 – Crisis Residence

11 - Children's Residential Treatment

99 = Not available/Unknown

Comments: This field should be updated regularly to assist in assessing outcome measures.

Relational edit: Clients with residential arrangement = 06, Correctional Facility, must have employment (field 26) = 11 (Correctional Inmate) and living arrangement (field 24) = 03 (Lives with non-relatives).

26 Employment status

Field name: EMPLOYMENT Type: C Width: 2

Codes: 01 = Employed - full time (35+ hrs per week)

02 = Employed - part time

03 = Employed - active military duty

04 = Season/migrant worker 05 = Unemployed - seeking work 06 = Unemployed - not seeking work

07 = Homemaker

08 = Student or Person under 17

09 = Retired 10 = Disabled

11 = Correctional inmate

97 = Other 98 = Unknown

Comments: This field should be updated regularly to assist in assessing outcome measures.

Relational edit: Clients with employment = 11, Correctional Inmate, must have residential arrangement (field 25) = 06 (Correctional Facility) and living arrangement (field 24) = 03 (Lives with non-relatives).

27 Primary source of household income

Field name: INCOME SRC Type: N Width: 1

Codes: 1 = Wages/salary

2 = Public assistance3 = Retirement/pension4 = Disability income

7 = Other 8 = Unknown 9 = None

Comments: This field should be updated regularly to assist in assessing outcome measures.

28 Household annual income amount

Field name: INCOME_HOU Type: N Width: 6

Comments: This field captures the client's household income. Some program data subsets (e.g., alcohol and drug treatment) mandate an additional data field recording the client's individual income. This field should be updated regularly to assist in assessing outcome measures.

No. of persons in household dependent on income

Field name: INCOME_DEP Type: N Width: 2

Comments: Indicate the number of persons in the household who are dependent upon the "Household annual income amount". Value should be greater than zero.

30 Eligibility for SSI/SSDI

Field name: ELIG_SSI Type: N Width: 1

Codes: 1 = Eligible and receiving payments

2 = Eligible but not receiving payments3 = Potentially eligible (under review)

4 = Determined as ineligible

8 = Unknown 9 = Not applicable

31 Eligible for Medicaid

Field name: ELIG_MCAID Type: N Width: 1

Codes: 1 = Eligible and receiving payments

2 = Eligible but not receiving payments3 = Potentially eligible (under review)

4 = Determined as ineligible

8 = Unknown9 = Not applicable

32 Expected principal source of payment

Field name: PAYMENT Type: C Width: 2

Codes: 01 = None (organization absorbs cost)

02 = Personal resources03 = Service contract

04 = Blue Cross/Blue Shield

05 = CHAMPUS

06 = Other commercial health insurance

07 = Medicare (Title XVII) 08 = Medicaid (Title XIX)

09 = VA (Veteran's Administration)

10 = Workmen's compensation

11 = Other public (government) sources12 = CHIP (Childrens Health Ins Prg)97 = Other source of payment

98 = Unknown

33 Veterans status

Field name: VET_STATUS Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

34 Physical impairment (1 of 2)

Field name: HANDICAP_1 Type: C Width: 2

Codes: 01 = Deafness and blindness

02 = Deafness/severe hearing loss03 = Blind/severe vision loss

04 = Nonambulatory

05 = Ambulatory only w. assistive device 06 = Unable to communicate w. verbal speech

07 = Traumatic brain injury08 = Major medical condition

97 = Other 98 = Unknown 99 = Not applicable

Comments: The "physical impairments" fields (HANDICAP_x) should be used to indicate physical conditions that may need to be taken into consideration when planning treatment. It is recommended that local data systems have the additional capacity to record specific client medical conditions using International Classification of Diseases (ICD) codes.

Relational edit: Handicap_1 cannot be the same as Handicap_2, unless Handicap_1 is 99, not applicable.

35 Physical impairment (2 of 2)

Field name: HANDICAP_2 Type: C Width: 2

Codes: (See "Physical impairment [1 of 2]" codes)

Comments: If client does not have a secondary physical impairment, use 99, not applicable.

Relational edit: Handicap_2 cannot be the same as Handicap_1, unless Handicap_1 is 99, not applicable.

36 Presenting problem (1 of 2)

Field name: PROBLEM_1 Type: C Width: 2

Codes: 01 = Marital/family problems

02 = Social/interpersonal (other than family)

- 03 = Coping w. daily roles
- 04 = Medical/somatic
- 05 = Communication disorders
- 06 = Depression/mood disorder
- 07 = Attempt/threaten/danger of suicide
- 08 = Alcohol
- 09 = Drugs
- 10 = Eating disorder
- 11 = Thought disorder
- 12 = Abuse/assault/rape victim
- 13 = Abuse/assault/rape perpetrator
- 14 = Involvement w. criminal justice system
- 15 = Runaway behavior
- 97 = Other
- 98 = Unknown

Comments: Presenting problems allow clinicians to indicate suspected problem areas at intake, prior to the determination of DSM diagnosis. Different sets of presenting problems are permitted for different service settings (CMHCs, State psychiatric Hospitals, ICF/MRs).

37 Presenting problem (2 of 2)

Field name: PROBLEM_2 Type: C Width: 2

Codes: (See "Presenting problem [1 of 2]" codes)

If there is only one presenting problem, PROBLEM 2 should be coded as "99".

Relational edit: Problem_2 cannot be the same as Problem_1.

38 Treatment category (MH, IDD, SA, dual)

Field name: DISAB CATE Type: N Width: 1

Codes: 1 = Mental health

2 = Intellectual developmental disability

3 = Substance abuse

4 = MH/IDD (Dual diagnosis)
5 = MH/SA (Dual diagnosis)
6 = IDD/SA (Dual diagnosis)
7 = MH/IDD/SA (Dual diagnosis)
8 = Unknown (Dual diagnosis)

Comments: This field indicates the client's treatment category or multiple treatment categories if the client is dually diagnosed. In cases of multiple treatment categories, the primary focus of treatment is indicated in the "Primary treatment" (DISAB_DUAL) field.

Relational edit: Codes 4-8 indicate a primary disability category will be specified in field 39, DISAB_DUAL.

39 Primary treatment category (if dual)

Field name: DISAB_DUAL Type: N Width: 1

Codes: 1 = Mental health

2 = Mental retardation 3 = Substance abuse

Comments: This field indicates the treatment category that is considered the primary focus of treatment in cases where a client is indicated as dually diagnosed.

Relational edit: This field is required if field 38, DISAB_CATE, is coded as 4-8.

40 Is client seriously mentally ill (Y/N)?

Field name: SPMI Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

Comments: Reference <u>DMH Operational Standards</u> for the guidelines on definition of serious/persistent mental illness. DMH Operational Standards can be viewed on the DMH website, http://www.dmh.state.ms.us/, under the menu option, PROVIDERS.

41 Is client seriously emotionally disturbed child?

Field name: SEDC Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

Comments: Reference <u>DMH Operational Standards</u> for the guidelines on definition of childhood serious emotional disturbance. DMH Operational Standards can be viewed on the DMH website, http://www.dmh.state.ms.us/, under the menu option, PROVIDERS.

42 DSM Axis 1 diagnosis

Field name: DSM 1 Type: C Width: 6

Codes: (Refer to DSM IV classification manual.)

Comments: "On both Axes I and II, multiple diagnoses should be made when necessary to describe the current condition." Local systems should be capable of recording multiple diagnoses. However, only the primary diagnosis for each Axis is mandated for inclusion in the DMH core dataset. This field should be updated regularly to assist in assessing outcome measures.

Relational edit: Field cannot be blank.

43 DSM Axis 2 diagnosis

Field name: DSM_2 Type: C Width: 6

Codes: (Refer to DSM IV classification manual)

Comments: If no Axis 2 diagnosis is assigned to the client, providers can submit a secondary Axis 1 diagnosis in this field. This field should be updated regularly to assist in assessing outcome measures.

Relational edit: Field cannot be blank. DSM_2 cannot be the same as DSM_1 except when V-code is used.

44 Is DSM Axis 1 or 2 the principal?

Field name: DSM_PRIN Type: N Width: 1

Codes:

1 = Axis 1 DSM is principal diagnosis 2 = Axis 2 DSM is principal diagnosis

Comments: "When a person receives more than one diagnosis, the principal diagnosis is the condition that was chiefly responsible for occasioning the... admission... The principal diagnosis may be an Axis I or Axis II diagnosis" (DSM Manual). This field should be updated regularly to assist in assessing outcome measures.

45 Inpatient service code

Field name: INPAT_SERV Type: N Width: 3

Codes: (Refer to <u>SERVICES data set</u>)

Comments: This field and the next four (RESID_SERV, PARTI_SERV, OUTPA_SERV, and CASEM_SERV) are designed to capture the specific services currently being received by the client. These services are grouped into five basic areas: inpatient, residential, partial day, outpatient, and case management. If a client does not receive services in one or more of these areas, the field is left blank. A complete listing of DMH core service codes is listed in the SERVICES dataset. Integrated systems must be designed so that the information in these five fields are automatically derived from current (90 day) service ticket data. If a client should receive more than one type of service in a given area, the service code should reflect the greater level of activity.

46 Residential service code

Field name: RESID_SERV Type: N Width: 3

Codes: (Refer to SERVICES data set)

Comments: (See "<u>Inpatient service code</u>" comments)

47 Partial day service code

Field name: PARTI_SERV Type: N Width: 3

Codes: (Refer to SERVICES data set)

Comments: (See "<u>Inpatient service code</u>" comments)

48 Outpatient service code

Field name: OUTPA_SERV Type: N Width: 3

Codes: (Refer to SERVICES data set)

Comments: (See "<u>Inpatient service code</u>" comments)

49 Case management service code

Field name: CASEM_SERV Type: N Width: 3

Codes: (Refer to SERVICES data set)

Comments: (See "<u>Inpatient service code</u>" comments)

50 Discharge date

Field name: DIS DATE Type: N Width: 8

Comments: "Discharge date" (DIS_DATE) indicates the date the client is formally Discharged from the organization. Do NOT use this field if the client is merely transferring from one program to another within the Organization.

Relational Edit: Entering a discharge date requires client status (field 6) to be a discharge status (09, 10). Also, discharge data is required in fields 51-54. For SA clients, entering a discharge date will also require discharge data in fields 99-120.

51 Discharge status

Field name: DIS_STATUS Type: N Width: 1

Codes: 1 = Evaluation only

2 = Treatment completed

3 = Therapist terminated treatment

4 = Client referred elsewhere5 = Client terminated treatment6 = Client moved from region

7 = Client deceased

8 = No contact with client within specified time frame /client eloped

52 Discharge referral category

Field name: DIS_REFER Type: C Width: 2

Codes: 01 = DMH psychiatric hospital

02 = Other MS CMHC 03 = DMH IDD facility

04 = Private psychiatric hospital
05 = Other MH care provider
06 = Other IDD care provider
07 = Other SA care provider

08 = General hospital/other health care provider

09 = Self

10 = Family/friend

11 = School/educational agency

12 = Employer/EAP 13 = Police/sheriff

14 = Court/correctional facility

15 = Probation/parole16 = Self help program

17 = Vocational rehabilitation/job placement

18 = Nursing home (non-DMH)

19 = Boarding home

20 = Group home (non-DMH) 21 = Other social services agency

97 = Other 98 = Unknown 99 = None

Comments: This field indicates the type of provider the clients is being referred to at the time of discharge. It should not reflect the type of provider that is discharging the client. If "Discharge referral category" is 01, 02, or 03 (a DMH operated facility or an in-state CMHC) and the identity of the organization to which referred is known, the "Discharge referral organization code" (DIS_REF_OR) should be completed.

53 Discharge referral organization code

Field name: DIS_REF_OR Type: N Width: 3

Codes: 101 = CMHC Region 1

102 = CMHC Region 2

103 = CMHC Region 3

104 = CMHC Region 4

106 = CMHC Region 6

107 = CMHC Region 7

108 = CMHC Region 8

109 = CMHC Region 9

110 = CMHC Region 10

111 = CMHC Region 11

112 = CMHC Region 12

113 = CMHC Region 13

113 - CIVITIC REGION 13

114 = CMHC Region 14

115 = CMHC Region 15

201 = Miss. State Hospital

202 = East Miss. State Hospital

203 = North Miss. State Hospital 204 = South Miss. State Hospital

205 = Central Miss. Residential Center

206 = Spec. Treatment Facility

301 = North Miss. Regional Center

302 = Hudspeth Regional Center

303 = Boswell Regional Center

304 = Ellisville State School

305 = South Miss. Regional Center

306 = Mississippi Adolescent Center

Comments: This field indicates the provider the client is being referred to upon discharge. It should not match field 3, organization code. Required if "Discharge referral category" (DIS_REFER) entry is 01, 02, or 03.

Relational edit: This field can be blank when field 52, Discharge Referral is not 01, 02, or 03.

54 County of residence upon discharge

Field name: DIS CNTY Type: C Width: 2

Codes: (Refer to COUNTY data set for a listing of numeric codes.)

55 Medicaid number

Field name: MCAID_NUMBER **Type:** N **Width:** 9

Comments: This field can be blank.

56 State ID

Field Name: STATE_ID Type: N Width: 9

Comments: This number is assigned by Centralized Database System. It is returned to the provider for use as the unique identifier. It can be used for identifying the client in subsequent submissions of core client data rather than using the social security number. Field can be blank if SSN (field 15) is complete.

57 Is client receiving integrated treatment?

Field name: INTGR_TREAT Type: C Width: 1

Codes: Y = Yes

N = No

Is client receiving Assertive Community Treatment (ACT/PACT)?

Field name: ACT_TREAT Type: C Width: 1

Codes: Y = Yes

N = No

59 Program code

Field name: PROGRAM CODE Type: C Width: 4

Codes: 1000 = Inpatient Program (includes Service Codes 100-199)

2000 = Residential Program (includes Service Codes 200-299) 3000 = Partial Day Program (includes Service Codes 300-399) 4000 = Outpatient Program (includes Service Codes 400-499)

5000 = Case Management Program (includes Service Codes 500-599) 8888 = Miscellaneous Program (includes Service Codes 600-999)

Comments: Field identifies the program under which client receives treatment. A client can be admitted to an organization, enter a program within that organization, exit that program, enter a different program, etc. all within the range of dates from his admission into and discharge from the organization.

60 Entry date (most current) into program

Field name: ENT_DATE Type: N Width: 8

Comments: Captures entry date to a specific program area. Compare with "Admission date to organization" (ADM_DATE) which captures date of admission to parent organization. Field should be in the format YYYYMMDD.

Relational edit: ENT_DATE is cross-checked to ADM_DATE (field 7). ENT_DATE must be equal to ADM_DATE or later than ADM_DATE.

61 Exit date from program

Field name: EXT_DATE Type: N Width: 8

Comments: Captures exit date from a specific program area. Field is compared with "Entry Date" (ENT_DATE) which captures date of entry into program. Field should be in the format YYYYMMDD.

Relational edit: EXT_DATE is cross-checked to ADM_DATE (field 7) and DIS_DATE (field 50). EXT_DATE must be equal to ADM_DATE or later than ADM_DATE. EXT_DATE must be equal to DIS_DATE or before DIS_DATE.

Substance Abuse services client data subset

Data Elements of the Substance Abuse Data Subset

Field	Field Description	Field Name	Туре	Width
1	Report date: date information was submitted	RPT_DATE	N	8
<u>2</u>	Record transaction type (add, change, delete)	RCD_TRAN	N	1
<u>3</u>	Organization code	ORG_CODE	N	3
<u>4</u>	Program location code	LOC_CODE	С	4
<u>5</u>	Unique client ID within organization	CLI_ORG_ID	С	9
<u>6</u>	Client status	CLI_STATUS	С	2
7	Admission date (most recent) to organization	ADM_DATE	N	8
8	Admission type(primary, collateral, unregistr)	ADM-TYPE	N	1
<u>9</u>	Admission referral category	ADM-REFER	С	2
<u>10</u>	Admission referral organization code (DMH only)	ADM-REF-OR	N	3
<u>11</u>	Legal status of client at admission	LEG_STATUS	N	1
<u>12</u>	Client last name	LAST_NAME	С	15
<u>13</u>	Client first name	FIRST_NAME	С	15
<u>14</u>	Client maiden name (if applicable)	MAID_NAME	С	15
<u>15</u>	Social Security number (unique client identifier)	SS_NUMBER	N	9
<u>16</u>	Birth date	BIRTH_DATE	N	8
<u>17</u>	Age of client (calculated from birthdate)	AGE	N	3
<u>18</u>	Sex	SEX	С	1
<u>19</u>	Race	RACE	С	1

Field	Field Description	Field Name	Туре	Width
<u>20</u>	Hispanic origin	HISPANIC	С	1
<u>21</u>	Education level: last grade completed	EDUCATION	С	2
22	Marital status	MARITAL	С	1
<u>23</u>	County of residence prior to admission	ADM_CNTY	С	2
<u>24</u>	Living arrangement	LIVING_ARR	N	1
<u>25</u>	Type of residence	RESID_ARR	С	2
<u>26</u>	Employment status	EMPLOYMENT	С	2
<u>27</u>	Primary source of household income	INCOME_SRC	N	1
<u>28</u>	Household annual income amount	INCOME_HOU	N	6
<u>29</u>	No. of persons in household dependent on income	INCOME_DEP	N	2
<u>30</u>	Eligibility for SSI/SSDI	ELIG_SSI	N	1
<u>31</u>	Eligibility for Medicaid	ELIG_MCAID	N	1
<u>32</u>	Expected principal source of payment	PAYMENT	С	2
<u>33</u>	Veterans status	VET_STATUS	С	1
<u>34</u>	Physical impairment (1 of 2)	HANDICAP_1	С	2
<u>35</u>	Physical impairment (2 of 2)	HANDICAP_2	С	2
<u>36</u>	Presenting problem (1 of 2)	PROBLEM_1	С	2
<u>37</u>	Presenting problem (2 of 2)	PROBLEM_2	С	2
<u>38</u>	Treatment category (MH, IDD, SA, dual)	DISAB_CATE	N	1
<u>39</u>	Primary treatment category (if dual)	DISAB_DUAL	N	1
<u>40</u>	Is client seriously mentally ill? (Y/N)?	SPMI	С	1

Field	Field Description	Field Name	Туре	Width
<u>41</u>	Is client seriously emotionally disturbed child?	SEDC	С	1
<u>42</u>	DSM Axis 1 diagnosis	DSM_1	С	6
<u>43</u>	DSM Axis 2 diagnosis	DSM_2	С	6
44	Is DSM Axis 1 or 2 the principal diagnosis?	DSM_PRIN	N	1
<u>45</u>	Inpatient service code	INPAT_SERV	N	3
<u>46</u>	Residential service code	RESID_SERV	N	3
<u>47</u>	Partial day service code	PARTI_SERV	N	3
<u>48</u>	Outpatient service code	OUTPA_SERV	N	3
<u>49</u>	Case management service code	CASEM_SERV	N	3
<u>50</u>	Discharge date	DIS_DATE	N	8
<u>51</u>	Discharge status	DIS_STATUS	N	1
<u>52</u>	Discharge referral category	DIS_REFER	С	2
<u>53</u>	Discharge referral organization code (DMH only)	DIS_REF_OR	N	3
<u>54</u>	County of residence upon discharge	DIS_CNTY	С	2
<u>55</u>	Medicaid number	MCAID_NUMBER	N	9
<u>56</u>	State ID (Generated by CDR upon 1 st submission)	STATE_ID	N	9
<u>57</u>	Client receives integrated treatment	INTGR_TREAT	С	1
<u>58</u>	Indicates whether client receives ACT/PACT Assertive Community Treatment	ACT_TREAT	С	1
<u>59</u>	Program under which client receives treatment	PROGRAM_CODE	С	4
<u>60</u>	Entry date (most current) into program	ENT_DATE	N	8
<u>61</u>	Program exit date	EXT_DATE	N	8

Field	Field Description	Field Name	Туре	Width
<u>62</u>	Entry date (most current) into program	SA_ENT_DATE	N	8
<u>63</u>	Days client waited to begin treatment	DAYS_WAIT	N	3
<u>64</u>	Number of prior treatment episodes	NUM_PRIOR	N	1
<u>65</u>	Prior treatment in facility in last year	PRIOR_TX	С	1
<u>66</u>	State of residence	STATE	С	2
<u>67</u>	Client monthly income amount	INCOME_PER	N	5
<u>68</u>	Health insurance (1 of 2)	INSURAN_1	N	2
<u>69</u>	Health insurance (2 of 2)	INSURAN_2	N	2
<u>70</u>	Is client pregnant at time of admission (Y/N)?	PREGNANT	С	1
<u>71</u>	Psychiatric problem in addition to SA(Y/N)?	PSYCHIAT	С	1
<u>72</u>	Number of arrests in last 30 days	ARRESTS	N	2
<u>73</u>	Type of arrests (1 of 3)	TYPE_ARR_1	N	2
<u>74</u>	Type of arrests (2 of 3)	TYPE_ARR_2	N	2
<u>75</u>	Type of arrests (3 of 3)	TYPE_ARR_3	N	2
<u>76</u>	DUI offender	DUI	N	1
<u>77</u>	Criminal justice referral	JUS_REFER	N	2
<u>78</u>	Use of Methadone as part of treatment (Y/N)?	METHADONE	С	1
<u>79</u>	Substance problem code (1 of 3)	SUB_CODE_1	N	2
<u>80</u>	Substance problem code (2 of 3)	SUB_CODE_2	N	2
<u>81</u>	Substance problem code (3 of 3)	SUB_CODE_3	N	2
<u>82</u>	Detailed drug code (1 of 3)	DETAIL_1	N	4

Field	Field Description	Field Name	Туре	Width
<u>83</u>	Detailed drug code (2 of 3)	DETAIL_2	N	4
<u>84</u>	Detailed drug code (3 of 3)	DETAIL_3	N	4
<u>85</u>	Usual route of administration (1 of 3)	RT_ADMIN_1	N	2
<u>86</u>	Usual route of administration (2 of 3)	RT_ADMIN_2	N	2
<u>87</u>	Usual route of administration (3 of 3)	RT_ADMIN_3	N	2
<u>88</u>	Frequency of use (1 of 3)	FREQ_USE_1	N	2
<u>89</u>	Frequency of use (2 of 3)	FREQ_USE_2	N	2
<u>90</u>	Frequency of use (3 of 3)	FREQ_USE_3	N	2
<u>91</u>	Age of first use of substance (1 of 3)	FRST_USE_1	N	2
<u>92</u>	Age of first use of substance (2 of 3)	FRST_USE_2	N	2
<u>93</u>	Age of first use of substance (3 of 3)	FRST_USE_3	N	2
<u>94</u>	Services associated with after care (1 of 3)	AFT_CARE_1	N	2
<u>95</u>	Services associated with after care (2 of 3)	AFT_CARE_2	N	2
<u>96</u>	Services associated with after care (3 of 3)	AFT_CARE_3	N	2
<u>97</u>	Vocational rehabilitation status	VOC_REHAB	N	1
<u>98</u>	Program exit date	SA_EXT_DATE	N	8
<u>99</u>	Discharge date from substance abuse treatment	SA_DIS_DATE	N	8
<u>100</u>	County of residence upon discharge	SA_DIS_CNTY	N	2
<u>101</u>	Discharge status	SA_DIS_STATUS	N	1
<u>102</u>	Discharge referral category	SA_DIS_REFER	N	2
<u>103</u>	Discharge referral org. code (DMH only)	SA_DIS_REF_OR	N	3

Field	Field Description	Field Name	Туре	Width
104	Has client drug involvement improved (Y/N)?	DRUG_IMPRO	С	1
<u>105</u>	Has client dysfunctional level improved (Y/N)?	DYSF_IMPRO	С	1
<u>106</u>	Has client dependency level improved (Y/N)?	DEPE_IMPRO	С	1
<u>107</u>	Program exit substance abuse problem code 1	EXT_SUB_1	N	2
<u>108</u>	Program exit substance abuse problem code 2	EXT_SUB_2	N	2
<u>109</u>	Program exit substance abuse problem code 3	EXT_SUB_3	N	2
<u>110</u>	Program exit frequency of use (1 of 3)	EXT_FREQ_1	N	1
<u>111</u>	Program exit frequency of use (2 of 3)	EXT_FREQ_2	N	1
<u>112</u>	Program exit frequency of use (3 of 3)	EXT_FREQ_3	N	1
<u>113</u>	Living arrangement at discharge	DIS_LIVING	N	1
<u>114</u>	Type of residence at discharge	DIS_RESID	N	2
<u>115</u>	Education at discharge	DIS_EDUC	N	2
<u>116</u>	Employment at discharge	DIS_EMPLOY	N	2
<u>117</u>	No. of arrests in the last 30 days at discharge	DIS_ARRESTS	N	2
<u>118</u>	Type of arrests I at discharge (1 of 3)	DIS_TYPARR1	N	2
119	Type of arrests II at discharge (2 of 3)	DIS_TYPARR2	N	2
120	Type of arrests III at discharge (3 of 3)	DIS_TYPARR3	N	2
<u>121</u>	Entry date (most current) into program	ENTSA_DATE	N	8

Substance Abuse Data Subset Data Dictionary

Definitions for fields 1-61 are located in the Core Client Data Dictionary

62 Entry date (most current) into SA program

Field name: SA_ENT_DATE Type: N Width: 8

Comments: Captures entry date to a specific program area. Compare with "Admission date to organization" (ADM_DATE) which captures date of admission to parent organization. Field should be in the format YYYYMMDD.

Relational edit: ENT_DATE is cross-checked to ADM_DATE (field 7). ENT_DATE must be equal to ADM_DATE or later than ADM_DATE.

Days client waited to begin treatment

Field name: DAYS_WAIT Type: N Width: 3

Codes: 000-996 = Days Waiting

998 = Unknown

Comments: Field indicates the number of days from the first contact or request for services until the client was admitted and the first clinical service was provided.

Number of prior treatment episodes

Field name: NUM_PRIOR Type: N Width: 1

Codes: 0 = None

1 = 1 previous episode 2 = 2 previous episodes

...

5 = 5 or more previous episodes

8 = Unknown

Comments: Field indicates the number of previous treatments the client has received in any drug or alcohol program. Changes in service for the same episode should NOT be counted as separate prior episodes. It is preferred that the number of prior treatments be a self-reporting field and is collected at the time of client intake.

Prior treatment in facility in last year (Y/N)?

Field name: PRIOR_TX Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

66 State of residence

Field name: STATE Type: C Width: 2

Codes: (Refer to <u>STATES data set</u> for two character postal abbreviation for states.)

67 Client monthly income amount

Field name: INCOME_PER Type: N Width: 5

Comments: Enter client's average monthly income. Compare this to field 28, "Household annual income amount", which captures the annual income for the household of which the client is a member.

68 Health insurance (1 of 2)

Field name: INSURAN_1 Type: C Width: 2

Codes: 01 = Private insurance

02 = Blue Cross/Blue Shield

03 = Medicare 04 - Medicaid

05 = Health Maintenance Organization (HMO)

97 = Other (e.g., CHAMPUS)

98 = Unknown 99 = None

Comments: REQUIRED. This field provides information on specific client health insurance as separate from expected source of payment.

69 Health insurance (2 of 2)

Field name: INSURAN 2 Type: N Width: 2

Codes: (See "Health insurance [1 of 2]" codes)

Relational edit: INSURAN_2 cannot be the same as INSURAN_1, unless Insurance is None (99).

70 Is client pregnant at time of admission(Y/N)?

Field name: PREGNANT Type: C Width: 1

Codes: Y = Yes

N = No

X = Not Applicable (This code is for male clients)

U = Unknown

Relational Edit: Field is cross-checked to Sex, field 18. Pregnant cannot be Y when field 18, sex, is Unknown.

71 MH/Psychiatric problems in addition to Substance Abuse (Y/N)?

Field name: PSYCHIAT Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

72 Number of arrests in last 30 days

Field name: ARRESTS Type: N Width: 2

Codes: 00 = None

01-96 = Number of Arrest

98 = Unknown

Comments: Enter the number of arrests the client has received in the 30 days prior to beginning of treatment.

73 Type of arrests (1 of 3)

Field name: TYP_ARR_1 Type: N Width: 2

Codes: 01 = None

02 = Public drunkeness

03 = DUI

04 = Drug violation 05 = Other SA offense 06 = Other - SA related 07 = Other - not SA related

98 = Unknown

Comments: Enter the type of arrest client has received in the 30 days prior to beginning of

treatment.

Relational edit: Field is cross-checked to field 76, DUI. If type of arrest is 03 (DUI) then field 76, DUI, cannot be 9.

74 Type of arrests (2 of 3)

Field Name: TYP_ARR_2 Type: N Width: 2

Codes: (See "Type of arrest [1 of 3]" codes)

Relational Edit: TYP_ARR_2 cannot be the same as TYP_ARR_1 or TYP_ARR_3, unless None (01).

75 Type of arrests (3 of 3)

Field name: TYP_ARR_3 Type: N Width: 2

Codes: (See "Type of arrest [1 of 3]" codes)

Relational Edit: TYP_ARR_3 cannot be the same as TYP_ARR_1 or TYP_ARR_2, unless None (01).

76 DUI offender

Field name: DUI Type: N Width: 1

Codes: 1 = First time DUI

2 = 2 or more DUI, assessed 3 = 2 or more DUI, not assessed

9 = Not applicable

77 Criminal justice referral

Field name: JUS_REFER Type: C Width: 2

Codes: 01 = State/federal court

02 = Formal adjudication process (other than state/federal)

03 = Probation/parole04 = Other legal entity05 = Diversionary program

06 = Prison 07 = DUI/DWI 97 = Other 98 = Unknown 99 = Not applicable

Relational Edit: If JUS_REFER = "07" (DUI/DWI), the field 76, DUI, cannot be Not Applicable (9).

78 Use of Opioid Replacement Therapy as part of treatment?

Field name: METHADONE Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

79 Substance problem code (1 of 3)

Field name: SUB_CODE_1 Type: C Width: 2

Codes: 01 = None

02 = Alcohol

03 = Cocaine/crack 04 = Marijuana/Hashish

05 = Heroin

06 = Non-prescription methadone07 = Other opiates and synthetics

08 = PCP (Phencylidine)
09 = Other hallucinogens
10 = Methamphetamine
11 = Other amphetamines
12 = Other stimulants
13 = Benzodiazepine
14 = Other tranquilizers

15 = Barbiturates

16 = Other sedatives or hypnotics

17 = Inhalants

18 = Over-the-counter

20 = Other 98 = Unknown

Relational edit: SUB_CODE_1 is cross-checked to DETAIL_1. SUB_CODE_1 must match the first two digits of DETAIL_1. If SUB_CODE_1 is 01 (None), then the following fields should be Not Applicable:

RT_ADMIN_1 (field 85) FREQ_USE_1 (field 88) FRST_USE_1 (field 91) DETAIL_1 (field 82)

80 Substance problem code (2 of 3)

Field name: SUB CODE 2 Type: C Width: 2

Codes: (See "Substance problem code [1 of 3]")

Relational edit: SUB_CODE_2 is cross-checked to DETAIL_2. SUB_CODE_2 must match the first two digits of DETAIL_2. If SUB_CODE_2 is 01 (None), then the following fields should be Not Applicable:

RT_ADMIN_2 (field 86) FREQ_USE_2 (field 89) FRST_USE_2 (field 92) DETAIL_2 (field 83)

Field name: SUB CODE 3 Type: C Width: 2

Codes: (See "Substance problem code [1 of 3]")

Relational edit: SUB_CODE_3 is cross-checked to DETAIL_3. SUB_CODE_3 must match the first two digits of DETAIL_3. If SUB_CODE_3 is 01 (None), then the following fields should be Not Applicable:

RT_ADMIN_3 (field 87) FREQ_USE_3 (field 90) FRST_USE_3 (field 93) DETAIL 3 (field 84)

82 Detailed drug code (1 of 3)

Field name: DETAIL_1 Type: C Width: 4

Codes: 0201 = Alcohol

0301 = Crack

0302 = Other cocaine 0401 = Marijuana/hashish 0501 = Heroin/morphine 0601 = Methadone

0701 = Codeine

0702 = Proproxyphene (Darvon) 0703 = Oxycodone (Oxycontin) 0704 = Meperidine Demerol) 0705 = Hydromorphone (Dilaudid) 0706 = Other narcotic analgesics 0707 = Pentazocine (Talwin) 0708 = Hydrocodone (Vicodin) 0709 = tramadol (Ultram)

0801 = PCP or PCP combinations

0901 = LSD

0902 = Other hallucinogens

1001 = Methamphetamine/speed

1101 = Amphetamine

1103 = Methylenedioxymethamphetamine (MDMA, Ecstasy)

1109 = Other amphetamines

1201 = Other stimulants

1202 = Methylphenidate (Ritalin)

1301 = Alprazolam (Xanax)

1302 = Chlordiazepoxide (Librium)

1303 = Clorzepate (Tranxene)

1304 = Diazepam (Valium)

1305 = Flurazepam (Dalmane)

1306 = Lorazepam (Ativan)

1307 = Triazolam (Halcion)

- 1308 = Other benzodiazepines
- 1309 = Flunitrazepam (Rohypnol)
- 1310 = Clonazepam (Klonopin, Rivotril)
- 1401 = Meprobamate (Miltown
- 1403 = Other tranquilizer
- 1501 = Phenobarbital
- 1502 = Secobarbital/amobarbital (Tuinal)
- 1503 = Secobarbital (Seconal)
- 1509 = Other barbiturate sedatives
- 1601 = Ethclorvynol (Placidyl)
- 1602 = Glutethimide (Doriden)
- 1603 = Methaqualone
- 1604 = Other non-barbiturate sedatives
- 1701 = Aerosols
- 1702 = Nitrites
- 1703 = Other inhalants
- 1704 = Solvents
- 1705 = Anesthetics
- 1801 = Diphenhydramine
- 1809 = Other over-the-counter
- 2001 = Diphenylhydantoin/Phenytoin (Dilantin)
- 2002 = Other drugs
- 2003 = GHB/GBL (Gamma-hydroxybutyrate,gamma-butyrolactone)
- 2004 = Ketamine (Special K)
- 9998 = Unknown
- 9999 = Not available

Relational edit: DETAIL_1 is cross-checked to SUB_CODE_1. SUB_CODE_1 must match the first two digits of DETAIL_1.

83 Detailed Drug Code (2 of 3)

Field name: DETAIL 2 Type: C Width: 4

Codes: (See "Detailed drug code [1 of 3]")

Relational edit: DETAIL_2 is cross-checked to SUB_CODE_2. SUB_CODE_2 must match the first two digits of DETAIL_2.

84 Detailed drug code (3 of 3)

Field name: DETAIL_3 Type: C Width: 4

Codes: (See "Detailed drug code [1 of 3]")

Relational edit: DETAIL_3 is cross-checked to SUB_CODE_3. SUB_CODE_3 must match the first two digits of DETAIL_3.

85 Usual route of administration (1 of 3)

Field name: RT_ADMIN_1 Type: N Width: 2

Codes: 1 = Oral

2 = Smoking3 = Inhalation4 = Injection5 = Suppositories7 = Other

7 = Other 8 = Unknown 9 = Not applicable

Relational Edit: If field 79, SUB_CODE_1, is None (01), then RT_ADMIN_1 must be 9, Not applicable.

86 Usual route of administration (2 of 3)

Field name: RT_ADMIN_2 Type: N Width: 2

Codes: (See "Usual route of administration [1 of 3]" codes)

Relational Edit: If field 80, SUB_CODE_2, is None (01), then RT_ADMIN_2 must be 9, Not

applicable.

87 Usual route of administration (3 of 3)

Field name: RT_ADMIN_3 Type: N Width: 2

Codes: (See "Usual route of administration [1 of 3]" codes)

Relational Edit: If field 81, SUB_CODE_3, is None (01), then RT_ADMIN_3 must be 9, Not

applicable.

88 Frequency of use (1 of 3)

Field name: FREQ_USE_1 Type: N Width: 2

Codes: 1 = No use in past month

2 = 1-3 times past month 3 = 1-2 times/wk past month 4 = 3-6 times/wk past month

5 = Daily past month

6 = 2-3 times daily past month 7 = 3+ times daily past month

8 = Unknown9 = Not applicable

Relational Edit: If field 79, SUB_CODE_1, is None (01), then FREQ_USE_1 must be 9, Not applicable.

89 Frequency of use (2 of 3)

Field name: FREQ_USE_2 Type: N Width: 2

Codes: (See "Frequency of use [1 of 3]" codes)

Relational Edit: If field 80, SUB CODE 2, is None (01), then FREQ USE 2 must be 9, Not applicable.

90 Frequency of use (3 of 3)

Field name: FREQ_USE_3 Type: N Width: 2

Codes: (See "Frequency of use [1 of 3]" codes)

Relational Edit: If field 81, SUB_CODE_3, is None (01), then FREQ_USE_3 must be 9, Not

applicable.

91 Age of first use of substance (1 of 3)

Field name: FRST_USE_1 Type: N Width: 2

Codes: 00 = Newborn with substance dependency problem

01-95 = Age at first use

96 = Not Applicable (Use only if field [79-81], SUB_CODE is none)

98 = Unknown

Comments: Required. NIDA: "For drugs other than alcohol, this field identifies the first use of the substance... For alcohol, this field records the age of first intoxication."

Relational edit: Age of first use cannot be greater than the client's age. If SUB_CODE_1 (field 79) is "01" (None), then FRST_USE_1 should be 96.

92 Age of first use of substance (2 of 3)

Field name: FRST_USE_2 Type: N Width: 2

Relational edit: Age of first use cannot be greater than the client's age. If SUB_CODE_2 (field 80) is "01" (None), then FRST_USE_2 should be 96.

93 Age of first use of substance (3 of 3)

Field name: FRST_USE_3 Type: N Width: 2

Relational edit: Age of first use cannot be greater than the client's age. If SUB_CODE_3 (field 81) is "01" (None), then FRST_USE_3 should be 96.

94 Services associated with after care (1 of 3)

Field name: AFT_CARE_1 Type: C Width: 2

Codes: 01 = Individual counseling

02 = Group counseling03 = Family counseling04 = Alcoholics Anonymous

05 = Education

06 = Transitional residential treatment

07 = Employment 08 = Medical

09 = Other mental health center

10 = Legal 97 = Other 98 = Unknown

99 = None/Not applicable

Comments: Indicates the service(s) to be provided to the client in conjunction with after care. Update as necessary during enrollment in after care.

95 Services associated with after care (2 of 3)

Field name: AFT_CARE_2 Type: C Width: 2

Codes: (See "Services associated with after care [1 of 3]" codes)

Comments: (See comments under "Services associated with after care [1 of 3]")

96 Services associated with after care (3 of 3)

Field name: AFT_CARE_3 Type: C Width: 2

Codes: (See "Services associated with after care [1 of 3]" codes)

Comments: (See comments under "Services associated with after care [1 of 3]")

97 Vocational rehabilitation status

Field name: VOC_REHAB Type: N Width: 1

Codes: 1 = Client receives employment related VR services ONLY

2 = Client receives maintenance support ONLY (Transitional residential treatment)

- 3 = Client receives BOTH employment related services and maintenance support
- 8 = Unknown
- 9 = Not applicable (client receives no VR services)

Comments: A client may receive services through the Mississippi Department of Vocational Rehabilitation Services. Employment related services include training and job placement. Clients may also receive maintenance support payments while residing in transitional residential treatment programs. Update as necessary during enrollment in treatment services.

98 Program exit date

Field name: SA_EXT_DATE Type: N Width: 8

Comments: "Program exit date" (EXT_DATE) indicates the date the client leaves a specific program. In organizations operating a single program this is the same as organization "Discharge date." In larger organizations, however, a client may exit from one program and enter another program without being discharged from the overall organization.

Relational edit: SA_EXT_DATE is cross-checked to ADM_DATE and DIS_DATE. SA_EXT_DATE must be equal to or after ADM_DATE. SA_EXT_DATE must be equal or before DIS_DATE.

99 Discharge date from substance abuse treatment

Field name: SA_DIS_DATE Type: N Width: 8

Comments: "Discharge date from substance abuse treatment" (SA_DIS_DATE) indicates the date the client is formally discharged from substance abuse treatment.

Relational Edit: If field 22, discharge date, is provided, then SA discharge date is required as well as the 23 discharge data fields for SA (fields 99-121).

Client can be discharge from SA without being discharge from the organization. If field 99, SA discharge date, is provided then the 23 discharge data fields for SA are required (fields 99-121).

100 County of residence upon discharge

Field name: SA_DIS_CNTY Type: C Width: 2

Codes: (Refer to <u>COUNTY data set</u> for a listing of numerical codes.)

Comments: Similar information is collected in field 54 of the CLIENTS data set "County of residence upon discharge" (CLIENTS.DIS_CNTY).

101 Discharge status (transfer, adm discont, dis/ref)

Field name: SA DIS STAT Type: N Width: 1

Codes: 1 = Evaluation only

2 = Treatment completed

3 = Therapist terminated treatment

4 = Client referred elsewhere5 = Client terminated treatment6 = Client moved from region

7 = Client deceased

8 = No contact with client within specified time frame

Comments: Status of the client at the end of SA treatment. Field defines the reason for transfer, discontinuation, discharge, or referral from SA program. Similar information collected in CLIENTS data set "Discharge status" (CLIENTS.DIS_STATUS). SA_DIS_STAT is the reason for discharge from the SA program whereas DIS_STATUS (field <u>51</u>) is the reason for discharge from the organization.

102 Discharge referral category

Field name: SA_DIS_REFER Type: C Width: 2

Codes: 01 = DMH psychiatric hospital

02 = Other MS CMHC 03 = DMH IDD facility

04 = Private psychiatric hospital
05 = Other MH care provider
06 = Other IDD care provider
07 = Other SA care provider

08 = General hospital/other health care provider

09 = Self

10 = Family/friend

11 = School/educational agency

12 = Employer/EAP 13 = Police/sheriff

14 = Court/correctional facility

15 = Probation/parole16 = Self-help program

17 = Vocational rehabilitation/job placement

97 = Other 98 = Unknown

Comments: Similar information is collected in field 52 of the CLIENTS data set "Discharge referral category" (CLIENTS.<u>DIS_REFER</u>).

103 Discharge referral organization code

Field name: SA_DIS_REF_OR Type: N Width: 3

Codes: 101 = CMHC Region 1

102 = CMHC Region 2

104 = CMHC Region 4
106 = CMHC Region 6
107 = CMHC Region 7
108 = CMHC Region 8
109 = CMHC Region 9
110 = CMHC Region 10
111 = CMHC Region 11
112 = CMHC Region 12
113 = CMHC Region 13
114 = CMHC Region 14
115 = CMHC Region 15
201 = Miss. State Hospital
202 = East Miss. State Hospital
203 = North Miss. State Hospital

103 = CMHC Region 3

205 = Central Miss. Residential Center

206 = Spec. Treatment Facility

301 = North Miss. Regional Center 302 = Hudspeth Regional Center

303 = Boswell Regional Center

304 = Ellisville State School

305 = South Miss. Regional Center 306 = Mississippi Adolescent Center

Comments: Required if "Discharge referral category" (DIS_REFER) entry is 01, 02, or 03. Similar information is collected in field 53 of the CLIENTS data set "Discharge referral organization code" (CLIENTS.DIS_REF_OR).

Relational edit: If field 102, SA discharge referral category is not 01, 02, or 03, this field can be blank.

Has client drug involvement improved(Y/N)?

Field name: DRUG_IMPRO Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

105 Has client dysfunctional level improved (Y/N)?

Field name: DYSF IMPRO Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

106 Has client dependency level improved (Y/N)?

Field name: DEPE_IMPROV Type: C Width: 1

Codes: Y = Yes

N = No

U = Unknown

107 Program exit substance abuse problem code (1 of 3)

Field name: EXT_SUB_1 Type: N Width: 2

Codes: (See "Substance problem code [1 of 3]")

Relational edit: (See edits under "Substance problem code [1 of 3]" field 79)

108 Program exit substance abuse problem code (2 of 3)

Field name: EXT_SUB_2 Type: N Width: 2

Codes: (See "Substance problem code [1 of 3]")

Relational edit: (See edits under "Substance problem code [2 of 3]" field 80)

109 Program exit substance abuse problem code (3 of 3)

Field name: EXT_SUB_3 Type: N Width: 2

Codes: (See "Substance problem code [1 of 3]")

Relational edit: (See edits under "Substance problem code [3 of 3]" field 81)

110 Program exit frequency of use (1 of 3)

Field name: EXT_FREQ_1 Type: N Width: 1

Codes: (See "Frequency of use [1 of 3]" codes)

Relational edit: (See edits under "Frequency of use code [1 of 3]" field 88)

111 Program exit frequency of use (2 of 3)

Field name: EXT FREQ 2 Type: N Width: 1

Codes: (See "Frequency of use [1 of 3]" codes)

Relational edit: (See edits under "Frequency of use code [2 of 3]" field 89)

112 Program exit frequency of use (3 of 3)

Field name: EXT_FREQ_3 Type: N Width: 1

Codes: (See "Frequency of use [1 of 3]" codes)

Relational edit: (See edits under "Frequency of use code [3 of 3]" field 90)

113 Living arrangement at discharge

Field name: DIS_LIVING Type: N Width: 1

Codes: 1 = Lives alone

2 = Lives w. relatives (nuclear or extended)

3 = Lives w. non-relatives

114 Type of residence at discharge

Field name: DIS_RESID Type: C Width: 2

Codes: 01 = Private residence (house, mobile home)

02 = Other independent (rooming house, dorm)

03 = Homeless/Shelter

04 = Institution (psychiatric hospital, IDD facility)

05 = Community program (nursing home, group home)

06 = Correctional facility

07 = Other

08 – Foster Home 09 – Residential Care 10 – Crisis Residence

11 - Children's Residential Treatment

99 = Not available/Unknown

Relational edit: Clients with residential arrangement = 06 (Correctional facility) must have employment (field 116) = 11 (Correctional Inmate) and living arrangement (field 113) = 03 (Lives with non-relatives).

115 Education at discharge

Field name: DIS_EDUC Type: C Width: 2

Codes: 51 = Preschool/kindergarten

52 = Special education

01 = First grade

..

12 = Twelfth grade

13 = GED

14 = Technical/trade school15 = Some college, no degree

16 = Associate degree 17 = Bachelors degree 18 = Masters degree

19 = Ph.D. 98 = Unknown

99 = Never attended school

116 Employment at discharge

Field name: DIS EMPL Type: C Width: 2

Codes: 01 = Employed - full time (35+ hrs per week)

02 = Employed - part time

03 = Employed - active military duty

04 = Season/migrant worker05 = Unemployed - seeking work06 = Unemployed - not seeking work

07 = Homemaker 08 = Student/under 17

09 = Retired 10 = Disabled

11 = Correctional inmate

97 = Other 98 = Unknown

Relational edit: Clients with employment (field 116) = 11 (Correctional Inmate) must have living arrangement (field 113) = 03 (Lives with non-relatives) and residential arrangement (field 114) = 06 (Correctional facility).

No. of arrests in the last 30 days at discharge

Field name: DIS_ARREST Type: C Width: 2

Codes: 00 = None

01-96 = Number of Arrest

98 = Unknown

Comments: Enter the number of arrests the client has received in the 30 days prior to discharge from treatment.

118 Type of arrests I at discharge (1 of 3)

Field name: DIS_TYPARR1 Type: C Width: 2

Codes: 01 = None

02 = Public drunkenness

03 = DUI

04 = Drug violation 05 = Other SA offense 06 = Other - SA related 07 = Other - not SA related

119 Type of arrests II at discharge (2 of 3)

Field name: DIS_TYPARR2 Type: C Width: 2

Codes: (See "Type of arrest at discharge [1 of 3]" codes)

120 Type of arrests III at discharge (3 of 3)

Field name: DIS_TYPARR3 Type: C Width: 2

Codes: (See "Type of arrest at discharge [1 of 3]" codes)

121 Entry date (most current) into SA program

Field name: ENTSA_DATE Type: N Width: 8

Comments: Captures entry date to a specific program area. Compare with "Admission date to organization" (ADM_DATE) which captures date of admission to parent organization. Field should be in the format YYYYMMDD.

Relational edit: ENT_DATE is cross-checked to ADM_DATE (field 7). ENT_DATE must be equal to ADM_DATE or later than ADM_DATE.

DMH services data set

Data Elements of the Services Dataset

Field	Field Description	Field Name	Туре	Width
1	Unique Client ID within organization	BY_ID	N	9
2	Organization Code	ORG_CODE	N	3
3	Service under which client receives treatment	SERVICE_CODE	N	3
4	Date service performed began	SERVICE_DATE	N	8
5	Units of service performed	SERVICE_UNITS	N	3.2
6	Cost of service	SERVICE_COST	N	3.2
7	Primary Payer for the service	PAYOR1	N	3
8	Secondary Payer for the service	PAYOR2	N	3
9	Tertiary Payer for the service	PAYOR3	N	3
10	Quaternary Payer for the service	PAYOR4	N	3
11	Place service was performed	PLACE_OF_SERVICE	N	3

Services Data Dictionary

1 Unique Client ID within organization

Field name: BY_ID Type: N Width: 9

Comments: REQUIRED. The client's "Unique client ID" (CLI_ORG_ID) should be generated within each organization for internal identification of clients. It can be up to 9 characters in length. Every effort should be made to insure the ID remains unique to a single client. The same ID should be reused if and when the client is readmitted to the organization.

2 Organization Code

Field name: ORG_CODE Type: N Width: 3

Codes: 101 = CMHC Region 1

101 = CMHC Region 1 102 = CMHC Region 2 103 = CMHC Region 3 104 = CMHC Region 4 106 = CMHC Region 6 107 = CMHC Region 7 108 = CMHC Region 8

109 = CMHC Region 9 110 = CMHC Region 10 111 = CMHC Region 11 112 = CMHC Region 12 113 = CMHC Region 13 114 = CMHC Region 14

115 = CMHC Region 15 201 = Miss. State Hospital

202 = East Miss. State Hospital 203 = North Miss. State Hospital 204 = South Miss. State Hospital

205 = Central Miss. Residential Center

206 = Spec. Treatment Facility

301 = North Miss. Regional Center

302 = Hudspeth Regional Center

303 = Boswell Regional Center

304 = Ellisville State School

305 = South Miss. Regional Center 306 = Mississippi Adolescent Center

Comments: REQUIRED. Information in this field should be automatically inserted by the software during download. The field denotes the "umbrella" organization code. Individual service sites operated by the organization are identified by their "Program location code" (LOC_CODE). Some organizations may also need to be subdivided into administrative subcomponents based on separate licensures. These entities can be given separate codes as long as the assigned organization code can also be generated. Private providers are assigned organization codes in the 700-999 range.

3 Service under which client receives treatment

Field name: SERVICE_CODE Type: N Width: 3

Codes: (Refer to <u>SERVICES data set</u>)

Comments: REQUIRED. This field is designed to capture the specific service received by the client. Refer to the complete listing of DMH core service codes in the <u>SERVICES</u> dataset.

4 Date service performed began

Field name: SERVICE_DATE Type: N Width: 8

Comments: REQUIRED. Field should be in YYYYMMDD format. This field should be the date the service began.

5 Units of service performed

Field name: SERVICE_UNITS Type: N Width: 3.2

Comments: NOT REQUIRED.

6 Cost of Service

Field name: SERVICE COST Type: N Width: 3.2

Comments: NOT REQUIRED.

7 Primary Payer

Field name: PAYOR1 Type: C Width: 3

Comments: REQUIRED. Payer Codes can be maintained on the DMH website. The link for Payer codes is under the menu option, Organization Info, at the bottom of the page.

8 Secondary Payer

Field name: PAYOR2 Type: C Width: 3

Comments: NOT REQUIRED. Payer Codes can be maintained on the DMH website. The link for Payer codes is under the menu option, Organization Info, at the bottom of the page.

9 Tertiary Payer

Field name: PAYOR3 Type: C Width: 3

Comments: NOT REQUIRED. Payer Codes can be maintained on the DMH website. The link for Payer codes is under the menu option, Organization Info, at the bottom of the page.

10 Quaternary Payer

Field name: PAYOR4 Type: C Width: 3

Comments: NOT REQUIRED. Payer Codes can be maintained on the DMH website. The link for Payer codes is under the menu option, Organization Info, at the bottom of the page.

11 Place Service was Performed

Field name: PLACE_OF_SERVICE Type: N Width: 3

Comments: NOT REQUIRED. This field can be used to define the Place of Service within a Location Code. Place of Service codes from the Community/Private Mental Health Center Billing Guidelines are may be used.

List of Service Codes by Program

INPA	TIENT (1000)	МН	IDD	SA	CY
101	Psychiatric Services – Acute Treatment	Х			
102	Psychiatric Services – Intermediate	Χ			
103	Psychiatric Services – Continuing Treatment	Χ			
104	Psychiatric Services – Continued Medical Treatment	Х			
105	Psychiatric Services – C/Y – Acute Treatment				Χ
106	Psychiatric Residential Treatment Facility	Χ			Χ
110	Crisis Stabilization Unit	Х		Χ	
111	Chemical Dependency Unit (CDU)			Χ	
112	Mental Illness / Chemical Addiction Treatment (MICA)	Х		Χ	
121	Forensics	Х			
122	Nursing Facility	Х			
123	Medical Surgical Hospital	Х			
RESI	DENTIAL FACILITY FOR PERSONS WITH INTELLECTUAL/DEVELOPMEN	ITAL DI	SABILI	TIES	
(1000	0)				
151	Intermediate Care Facility – Mental Retardation (ICF/MR) – Large		Х		
152	Intermediate Care Facility – Mental Retardation (ICF/MR) – Small		Χ		
153	ICF-MR Respite		Χ		
ОТНЕ	ER INPATIENT (1000)	•		•	
161	Community Hospital	Х		Х	
162	Designated Mental Health Holding Facilities	Χ			
RESI	DENTIAL (2000)	MH	IDD	SA	CY
205	Supported Living	X	X		
206	Primary Residential Treatment.			Χ	
207	Transitional Residential Treatment			Х	
208	Therapeutic Foster Care / Treatment Foster Care				Х
211	Therapeutic Group Home - C/Y				Χ
215	Supervised Living	Χ	Χ		Χ
PSYC	HOSOCIAL REHABILITATIVE – Day Program Options (3000)	МН	IDD	SA	CY
304	Supported Employment – Individual	Х	Χ		
305	Supported Employment – Group	Х	Χ		
309	Therapeutic Day Treatment – Substance Abuse			Χ	
311	Adult Day Center Services – Alzheimer's	Χ			
313	Acute Partial Hospitalization	Χ		Х	Χ
314	Psychosocial Rehabilitation	Χ			
315	Work Activity		Χ		
317	Day Support Services	Χ			
318	Day Treatment (Child)				Χ
	· · · · · · · · · · · · · · · · · · ·				

PSYC	HOSOCIAL REHABILITATIVE – Day Program Options (3000)	MH	IDD	SA	CY
319	Senior Psychosocial Rehabilitation Services - Community	Х			
320	Senior Psychosocial Rehabilitation Services – Nursing Facility	Х			
321	Drop-In Center	X			
322	Day Habilitation		Χ		
323	Prevocational Services		Χ		
PSYC	HOTHERAPEUTIC SERVICES/ Outpatient (4000)	МН	IDD	SA	C١
402	Family Therapy	X		Χ	Х
404	Evaluation Only	X		Χ	Х
406	Medication Evaluation and Monitoring	X		Χ	Х
416	Intake/Biopsycho-social Assessment	Х		Χ	Х
417	Treatment Plan Review	Х		Χ	Х
418	Multi-family Group Therapy	Х		Χ	Χ
419	Peer Support	Х		Х	Χ
420	Intensive Outpatient – substance abuse			Х	
421	Assertive Community Treatment	Х			
424	Integrated Treatment for Co-Occurring Disorder (Mental	Х		Χ	
	Health/Substance Abuse)				
426	Individual therapy	Х		Χ	Х
427	Group therapy	Х		Χ	Х
428	Nursing Assessment	X		Χ	Х
429	Early intervention		Χ		Х
430	Family education and support	X			Х
431	Medication Injection	Х			Х
432	Pre-evaluation screening	Х			Х
434	Intensive Outpatient Psychiatric Services – C/Y				Х
435	MYPAC				Χ
CASE	MANAGEMENT (5000)	МН	IDD	SA	C'
502	Intensive case management	Х			
503	Recovery Support Services			Х	
509	Community Support Services	X	Χ	Х	Х
510	Targeted Case Management	Х	Х	Χ	Χ
EME	RGENCY (8888)	МН	IDD	SA	C'
602	Mobile Crisis Services	Х	Х	Х	Х
603	Telephone Emergency/Crisis Response Service	Х	Χ	Х	Х
604	Walk-In Emergency/Crisis Response Service	Х	Χ	Х	Х
605	Intensive Crisis Intervention Service				Х
	SULT/EDUC/PREV (8888)	МН	IDD	SA	C,
704	Alcohol & Drug Prevention			X	-

EMER	705 Prevention (Children/Youth)		IDD	SA	CY
705	Prevention (Children/Youth)				Χ
706	DUI			Χ	

MISC	ELLANEOUS (8888)	МН	IDD	SA	CY
801	Staffing – No Treatment Plan Review	Х		Х	Х
802	No shows / Cancellations	Х	Χ	Χ	Χ
803	PATH Grant service	Х			
804	Making a plan (MAP) Team Review meeting				Χ
805	Fetal Alcohol Spectrum Disorders (FASD) - Screening				Χ
806	Fetal Alcohol Spectrum Disorders (FASD) - Treatment				Χ
807	Respite				Χ
808	Wraparound Facilitation				Χ
809	Urine Drug Screens	Х		Χ	
810	Adult Making A Plan (AMAP) Team Review meeting	X			

НОМ	E AND COMMUNITY BASED ID/DD SERVICES (8888)	MH	IDD	SA	CY
901	Support Coordination		Χ		
903	In-Home Nursing Respite Services		Χ		
905	Community Respite.		Χ		
907	Supervised Living		Χ		
908	Supported Living		Χ		
909	Day Services – Adult		Χ		
910	Prevocational Services		Χ		
912	Behavior Support/Intervention		Χ		
917	Home & Community Supports		Χ		
918	Supported Employment - Individual		Χ		
919	Supported Employment - Group		Χ		
920	Host Homes		Χ		
921	Crisis Intervention		Χ		
922	Job Discovery		Χ		
923	Transition Assistance		Χ		
924	Crisis Support Services		Χ		

Descriptions of Service Codes

INPATI	ENT (1000)	МН	IDD	SA	CY
101	Psychiatric Services – Acute Treatment Short term psychiatric inpatient services for persons with serious mental illness who have been legally committed to the treatment facility. The goal of "Acute treatment" is to stabilize the patient in an inpatient environment using medication and supportive treatments within 15-90 days from time of admission. Do NOT use for crisis stabilization services (refer to "Psychiatric services – crisis stabilization unit").	X			
102	Psychiatric Services – Intermediate Psychiatric inpatient services for persons with serious mental illness who are not ready for discharge after receiving services in an "Acute treatment" psychiatric service unit. Intermediate treatment is intended to offer up to six months additional treatment in order to rehabilitate the individual for return to the community.	X			
103	Psychiatric Services – Continuing Treatment Long term psychiatric inpatient services for persons with serious mental illness who have previously been treated in "Acute treatment" and/or "Intermediate treatment" psychiatric service units.	Х			
104	Psychiatric Services – Continued Medical Treatment Long term psychiatric inpatient services primarily for elderly and/or chronically ill persons who require extensive medical attention in addition to psychiatric treatment. Do NOT use for placements in licensed nursing facility units (refer to "Nursing facility").	X			
105	Psychiatric Services – Children/Youth – Acute Treatment Short term psychiatric inpatient services for children and youth (ages 4 – 18) who have had a significant debilitating episode which has impaired daily functioning. The goal of acute treatment is to stabilize the child or youth through various modalities of treatment (medication, individual therapy, family therapy, other support therapies).				Х
106	Psychiatric Residential Treatment Facility Long-term psychiatric inpatient services for children and youth who continue to have significant difficulty coping, interacting, or functioning following delivery of acute treatment services. The goal of long-term treatment is to rehabilitate the child or youth through various modalities	X			Х

INPATI	ENT (1000)	МН	IDD	SA	CY
	including milieu, individual, group, and family therapies.				
	An educational component of long-term treatment				
	involves assessment and continuing education.				
110	Crisis Stabilization Services	Χ		Χ	Х
	Crisis Stabilization Services are time-limited residential				
	treatment services provided in a Crisis Stabilization Unit				
	which provides psychiatric supervision, nursing services,				
	structured therapeutic activities and intensive				
	psychotherapy (individual, family and/or group) to				
	individuals who are experiencing a period of acute				
	psychiatric distress which severely impairs their ability to				
	cope with normal life circumstances. Crisis Stabilization				
	Services must be designed to prevent civil commitment				
	and/or longer term inpatient psychiatric hospitalization by				
	addressing acute symptoms, distress and further				
	decomposition. Crisis Stabilization Services content may				
	vary based on each individual's needs but must include				
	close observation/supervision and intensive support with a				
	focus on the reduction/elimination of acute symptoms.				
111	Chemical Dependency Unit			Χ	
	Chemical Dependency Unit Services include inpatient or				
	hospital-based services for individuals with more severe				
	alcohol or other drug disorders and who require a				
	medically-based environment. Treatment usually includes				
	detoxification, group, individual, and family therapy,				
	education services explaining alcohol/drug dependency,				
	personal growth, the recovery process, aftercare, and				
	family counseling.				
112	Mental illness / Chemical Addiction Treatment (MICA)	Χ		Χ	
	An inpatient treatment service that treats persons who				
	exhibit both serious mental illness and a significant level of				
	chemical addiction. The service is designed to treat both				
	conditions concurrently rather than focusing on one or the				
	other condition as primary.				
121	Forensics	Χ			
	Specialized inpatient unit for persons being evaluated to				
	determine legal sanity or for person adjudicated to be				
	legally insane.				
122	Nursing Facility	Χ			
	Institutional continuous care services for medically fragile	,			
	persons who require 24 hour a day nursing care. Units are				
	licensed as Nursing Facility beds.				

INPAT	IENT (1000)	МН	IDD	SA	CY
123	Medical Surgical Hospital Used to denote a licensed medical hospital operated within the structure of a DMH facility. Currently, the only medical surgical hospital is housed on the grounds of Mississippi State Hospital. This facility provides acute medical and surgical care to patients from MSH and other facilities operated by the Department of Mental Health. The hospital also provides lab, outpatient, and x-ray services.	X			
	ENTIAL FACILITY FOR PERSONS WITH INTELLECTUAL/DEVELOPMENT ILITIES (1000)	МН	IDD	SA	CY
151	Intermediate Care Facility - Mental Retardation (ICF/MR) - large Continuous care services for persons with mental retardation that operate under Medicaid ICF/MR licensure.		X		
152	Intermediate Care Facility – Mental Retardation – Small Continuous care services for persons with mental retardation that operate under Medicaid ICF/MR licensure. The "Small" designation denotes stand-alone units consisting of 15 or fewer beds usually located in a community setting.		Х		
153	ICF-MR Respite Respite care is also offered in licensed ICF/MR settings on a limited basis, based on the number of available beds. Do not use for individuals in waiver services seeking crisis support (refer to 924 – Crisis Support).		Х		
OTHER	R INPATIENT (1000)	МН	IDD	SA	СУ
161	Community Hospital Inpatient services contracted with local community hospitals for intensive 24 hour psychiatric or substance abuse detoxification treatment.	Х		Х	
162	Designated Mental Health Holding Facilities Designated Mental Health Holding Facilities house individuals who have been involuntarily civilly committed and are awaiting transportation to a treatment facility. The Holding Facility can be a county facility or a facility with which the county contracts	X			

RESID	RESIDENTIAL (2000)		IDD	SA	CY
205	Supported Living	Χ	Χ		
	Supported Living includes an array of supports and services				

RESID	DENTIAL (2000)	MH	IDD	SA	CY
	that are provided in an integrated community setting by a provider with appropriate staff and resources to assist an individual who needs assistance less than twenty-four (24) hours per day/seven (7) days per week.				
206	Primary Residential Treatment Primary Substance Abuse Rehabilitation Service is an intensive residential program for individuals who are addicted to or abuse alcohol or other drugs. This type of treatment offers a group living environment in order to provide the individual with a comprehensive program of services that is easily accessible and responsive to his/her needs.			Х	
207	Transitional Residential Treatment Transitional Substance Abuse Rehabilitation Services are provided in a group living environment which promotes a life free from chemical dependency while encouraging the pursuit of vocational or related opportunities. With group support, individuals acquire coping skills which enable them to become productive citizens in their communities. An individual must have successfully completed a primary substance abuse treatment program in order to be eligible for admission to transitional residential services. The primary substance abuse treatment program must be at least thirty (30) days long.			X	
208	Therapeutic Foster Care/Treatment Foster Care Treatment Foster Care (TFC) services are intensive community-based services for children with significant developmental, emotional or behavioral needs provided by mental health professional staff and trained foster parents, resource parents or group home providers who provide a therapeutic program for children and youth with serious emotional disturbances living in a resource home licensed by the Department of Human Services.				X
211	Therapeutic Group Home - C/Y Intensive community-based services for children with significant developmental, emotional or behavioral needs provided by mental health professional staff and trained foster parents, resource parents or group home providers who provide a therapeutic program for children and youth with serious emotional disturbances living in a resource home licensed by the Department of Human Services.				X
215	Supervised Living	Χ	Χ		Χ

RESID	DENTIAL (2000)	МН	IDD	SA	CY
	supports which assist with the acquisition, retention, or				
	improvement in skills related to living in the community.				
	Learning and instruction are coupled with the elements of				
	support, supervision and engaging participation to reflect the				
	natural flow of learning, practice of skills, and other activities				
	as they occur during the course of an individual's day.				
	Supports and services are provided twenty-four (24) hours per				
	day/seven (7) days per week				
PSYC	HOSOCIAL REHABILITATIVE/DAY PROGRAM OPTIONS (3000)	МН	IDD	SA	CY
304	Supported Employment – Individual	X	X	3/	
304	Supported Employment – Individual Supported Employment Services increase independence,	^	^		
	community integration, and productivity of individuals by				
	providing support services necessary to achieve and maintain				
	competitive employment and/or self-employment.				
	Competitive employment is defined as having a job in a				
	business(es) in the community where individuals without				
	disabilities are employed. Additionally, Supported				
	Employment Services may consist of activities to support				
	and/or assist an individual in starting his/her own business.				
305	Supported Employment – Group	Χ	Χ		
505	Supported Employment Services increase independence,		^		
	community integration, and productivity of individuals by				
	providing support services necessary to achieve and maintain				
	competitive employment and/or self-employment.				
	Competitive employment is defined as having a job in a				
	business(es) in the community where individuals without				
	disabilities are employed. Additionally, Supported				
	Employment Services may consist of activities to support				
	and/or assist an individual in starting his/her own business.				
	Can be provided in groups of no more than three (3) individuals				
	and one (1) staff person.				
309	Therapeutic Day Treatment – Substance Abuse			Х	
	An intensive treatment program serving individuals with				
	substance abuse problems who are not enrolled in residential				
	programs. Provides coordinated, multidisciplinary treatment.				
311	Adult Day Center Services – Alzheimer's	Χ		<u> </u>	
	Alzheimer's Day Programs are community based group				
	programs designed to meet the needs of adults with physical				
	and psychosocial impairments, including memory loss, through				
	individualized care plans. These structured, nonresidential				
		1			

programs provide a variety of social and related support

PSYC	HOSOCIAL REHABILITATIVE/DAY PROGRAM OPTIONS (3000)	МН	IDD	SA	CY
	services in a safe setting. Alzheimer's Day Programs assess the strengths and needs of individuals and families and offer services to build on their strengths.				
313	Acute Partial Hospitalization Acute Partial Hospitalization Services (APH) provide medical supervision, nursing services, structured therapeutic activities and intensive psychotherapy (individual, family and/or group) to individuals who are experiencing a period of such acute distress that their ability to cope with normal life circumstances is severely impaired. APH is designed to provide an alternative to inpatient hospitalization for such individuals or to serve as a bridge from inpatient to outpatient treatment. Program content may vary based on need but must include close observation/supervision and intensive support with a focus on the reduction/elimination of acute symptoms. APH may be provided to children with serious emotional disturbance or adults with serious and persistent mental illness.	X		X	X
314	Psychosocial Rehabilitation Psychosocial Rehabilitative Services (PSR) consists of a network of services designed to support and restore community functioning and well-being of adults with a serious and persistent mental illness. The purpose of the program is to promote recovery, resiliency, and empowerment of the individual in his/her community. Program activities aim to improve reality orientation, social skills and adaptation, coping skills, effective management of time and resources, task completion, community and family integration, vocational and academic skills, and activities to incorporate the individual into independent community living; as well as to alleviate psychiatric decompensation, confusion, anxiety, disorientation, distraction, preoccupation, isolation, withdrawal and feelings of low self-worth.	X			
315	Work Activity Work Activity Services for persons with intellectual disabilities/developmental disabilities provide opportunities for the acquisition of necessary work and living skills. A person must be at least sixteen (16) years old to participate in Work Activity Services. (Accepting individuals younger than eighteen (18) is optional for the provider.)		Х		
317	Day Support Services Day Support Services must provide structured, varied and age	Χ			

SYC	HOSOCIAL REHABILITATIVE/DAY PROGRAM OPTIONS (3000)	МН	IDD	SA	C/
	appropriate clinical activities in a group setting that are				
	designed to support and enhance the individual's				
	independence in the community through the provision of				
	structured supports. Clinical program activities must aim to				
	improve social adaptation, physical coordination, daily living				
	skills, time and resource management, and task completion.				
18	Day Treatment (Child)				>
	Day Treatment Services are the most intensive outpatient				
	services available to children/youth with SED. The services				
	must provide an alternative to residential treatment or acute				
	psychiatric hospitalization or serve as a transition from these				
	services. Day Treatment Services are a behavioral intervention				
	and strengths-based program, provided in the context of a				
	therapeutic milieu, which provides primarily school age				
	children/adolescents with serious emotional disturbances the				
	intensity of treatment necessary to enable them to live in the				
	community. Day Treatment Services are based on behavior				
	management principle and include, at a minimum, positive				
	feedback, self-esteem building and social skills training.				
	Additional components are determined by the needs of the				
	participants at a particular site and may include skills training in				
	the areas of impulse control, anger management, problem				
	solving, and/or conflict resolution.				
19	Senior Psychosocial Rehabilitation Services - Community	Χ			
	Senior Psychosocial Rehabilitation Services (Senior PSR) are				
	structured activities designed to support and enhance the				
	ability of the elderly to function at the highest possible level of				
	independence in the most integrated setting appropriate to				
	their needs. The activities target the specific needs and				
	concerns of the elderly, while aiming to improve reality				
	orientation, social adaptation, physical coordination, daily				
	living skills, time and resource management, task completion				
	and other areas of competence that promote independence in				
	daily life. Activities in the program are designed to alleviate				
	such psychiatric symptoms as confusion, anxiety,				
	disorientation, distraction, preoccupation, isolation,				
	withdrawal and feelings of low self-worth.				
20	Senior Psychosocial Rehabilitation Services – Nursing Facility	Χ			
	Day Support Services must provide structured, varied and age				
	appropriate clinical activities in a group setting that are				
	designed to support and enhance the individual's				
	independence in the community through the provision of				
		:		:	1

PSYC	CHOSOCIAL REHABILITATIVE/DAY PROGRAM OPTIONS (3000)	МН	IDD	SA	CY
	improve social adaptation, physical coordination, daily living				
	skills, time and resource management, and task completion.				
321	Drop-In Center Drop-In Centers are programs of structured activities designed to support and enhance the role functioning of individuals who are homeless and individuals who are able to live fairly independently in the community through the regular provision of structured therapeutic support. Program activities aim to improve reality orientation, social adaptation, physical coordination, daily living skills, time and resource management, and task completion as well as to alleviate such psychiatric symptoms as confusion, anxiety, isolation, withdrawal and feelings of low self-worth. Programs also provide basic needs such as food and clothing and link participants with social support services. The activities provided must include, at a minimum, the following: group therapy, individual therapy, social skills training, coping skills	X		X	
322	training, and training in the use of leisure-time activities. Day Habilitation IDD Community Support Program (CSP) service for adults designed to foster greater independence, personal choice, and improvement/retention of self-help, socialization, positive behavior, and adaptive skills. Services are provided in a community-based setting. A central component of the service is to provide opportunities for individuals to become more independent and productive.		×x	X	
323	Prevocational Services IDD Community Support Program (CSP) Prevocational Services are provided to persons not expected to be able to join the general workforce within one year (excluding Supported Employment Services). Activities can be either center based or community based and are not primarily directed at teaching specific job skills, but at underlying skills which are useful in obtaining community employment.		X		

PSYC	HOTHERAPEUTIC SERVICES/OUTPATIENT (4000)	МН	IDD	SA	CY
402	Family Therapy	Χ		Χ	Χ
	Family Therapy shall consist of psychotherapy that takes place				
	between a mental health therapist and an individual's family				
	members with or without the presence of the individual.				
	Family Therapy may also include others (DHS staff, foster				
	family members, etc.) with whom the individual lives or has a				

PSYC	HOTHERAPEUTIC SERVICES/OUTPATIENT (4000)	МН	IDD	SA	CY
	family-like relationship. This service includes family psychotherapy and psychoeducation provided by a mental health therapist.				
404	Evaluation Only Provision of diagnostic and evaluation services for a person who is seeking services. Do NOT use for persons receiving a pre-evaluation screening (refer to "Pre-evaluation screening").	Х		Х	Х
406	Medication Evaluation and Monitoring Medication Evaluation and Monitoring is the intentional face- to-face interaction between a physician or a nurse practitioner and an individual for the purpose of: assessing the need for psychotropic medication, prescribing medications, and regular periodic monitoring of the medications prescribed for therapeutic effect and medical safety.	X		X	X
416	Intake/Biopsycho-Social Assessment The initial biopsychosocial assessment and subsequent biopsychosocial assessments are the face-to-face securing of information from the individual receiving services and/or collateral contact, of the individual's family background, educational/vocational achievement, presenting problem(s), problem history, history of previous treatment, medical history, current medication(s), source of referral and other pertinent information in order to determine the nature of the individual's or family's problem(s), the factors contributing to the problem(s), and the most appropriate course of treatment for the individual and/or family.	X		X	X
417	Treatment Plan Review The treatment plan is the overall plan that directs the treatment of the individual receiving services. The plan must be based on the strengths and needs, or challenges, of the individual receiving services and his/her family/legal representative (if applicable) and identified outcomes. Outcomes should be identified by the individual, family/legal representative (if applicable), and treatment/support team.	X		X	X
418	Multi-Family Group Therapy Multi-Family Group Therapy shall consist of psychotherapy that takes place between a mental health therapist and family members of at least two (2) different individuals receiving services, with or without the presence of the individual, directed toward the reduction/resolution of identified mental health problems so that the individual and/or their families	Х		X	Х

PSYC	HOTHERAPEUTIC SERVICES/OUTPATIENT (4000)	MH	IDD	SA	CY
	may function more independently and competently in daily life. This service includes psychoeducational and family-to-family training.				
419	Peer Support Peer Support Services are person-centered activities with a rehabilitation and resiliency/recovery focus that allow consumers of mental health services and their family members the opportunity to build skills for coping with and managing psychiatric symptoms and challenges associated with various disabilities while directing their own recovery. Natural resources are utilized to enhance community living skills, community integration, rehabilitation, resiliency and recovery. Peer Support is a helping relationship between peers and/or family members that is directed toward the achievement of specific goals defined by the individual. It may also be provided as a family partner role.	X		X	X
420	Intensive Outpatient – Substance Abuse The 10-week Intensive Outpatient Program for Individuals with a Substance Abuse Disorder (IOP-A/D) is a community-based outpatient program which provides an alternative to traditional Residential Treatment Services or hospital settings. The program is directed to persons who need services more intensive than traditional outpatient services, but who have less severe alcohol and other drug disorders than those typically addressed in Residential Treatment Services. The IOP-A/D allows individuals to continue to fulfill their obligations to family, job, and community while obtaining intensive treatment.			X	
421	Assertive Community Treatment A program of Assertive Community Treatment (PACT) is an individual-centered, recovery-oriented mental health service delivery model for facilitating community living, psychological rehabilitation and recovery for persons who have the most severe and persistent mental illnesses, have severe symptoms and impairments, and have not benefited from traditional outpatient programs.	Х			
424	Integrated Treatment for Co-Occurring Disorder (Mental Health/Substance Abuse) Co-Occurring Disorders Services are provided to individuals who are affected by both a diagnosed mental illness and substance abuse disorder.	Х		Х	

PSYC	HOTHERAPEUTIC SERVICES/OUTPATIENT (4000)	МН	IDD	SA	CY
426	Individual Therapy Individual Therapy is defined as one-on-one psychotherapy that takes place between a mental health therapist and the individual receiving services.	Х		Х	Х
427	Group Therapy Group Therapy shall consist of psychotherapy that takes place between a mental health therapist and at least two (2) but no more than ten (10) children or at least two (2) but not more than twelve (12) adults at the same time. Possibilities include, but are not limited to, groups that focus on relaxation training, anger management and/or conflict resolution, social skills training, and self-esteem enhancement.	X		X	Х
428	Nursing Assessment Nursing assessment takes place between a registered nurse and an individual for the purpose of assessing extra-pyramidal symptoms, medication history, medical history, progress on medication, current symptoms, progress or lack thereof since last contact and providing education to the individual and the family about the illness and the course of available treatment.	Х		Х	Х
429	Early Intervention Early Intervention and Child Development Services are designed to support families in providing learning opportunities for their child within the activities, routines, and events of everyday life by providing information, materials, and supports relevant to their identified needs. Early Intervention Services are provided in the child's natural environment. Child Development Services provide center based programs which promote the developmental growth of children in cognitive, physical, social, emotional, communication, and adaptive functioning areas.		X		X
430	Family Education and Support Family Support and Education Services, which provide self-help and mutual support for families of youth with mental illness or mental health challenges, are based on the view that a person who is parenting or has parented a child experiencing emotional or behavioral health disorders can articulate the understanding of their experiences with another parent or family member.	Х			X

PSYC	HOTHERAPEUTIC SERVICES/OUTPATIENT (4000)	МН	IDD	SA	CY
431	Medication Injection Medication injection is the process of a licensed practical nurse, registered nurse, physician, or nurse practitioner injecting an individual with prescribed psychotropic medication for the purpose of restoring, maintaining or improving the individual's role performance and/or mental health status.	Х			Х
432	Pre-Evaluation Screening Pre-Evaluation Screening and a Civil Commitment Examination are two separate events which include screening and examinations, inclusive of other services to determine the need for civil commitment and/or other mental health services, including outpatient or inpatient commitment. These services also include assessment and plans to link individuals with appropriate services.	Х			X
434	Intensive Outpatient Psychiatric Services – C/Y Intensive Outpatient Psychiatric (IOP-C/Y) services are family stabilization and intensive outpatient psychiatric treatment provided to children and youth with serious emotional disturbance. Services are time-limited and include intensive family preservation interventions intended to diffuse the current crisis, evaluate its nature, and intervene to reduce the likelihood of a recurrence. The ultimate goal is to stabilize the living arrangement, promote reunification or prevent the utilization of out-of-home therapeutic resources (i.e., psychiatric hospital, therapeutic foster care, and residential treatment facility).				X
435	MYPAC Mississippi Youth Programs Around the Clock (MYPAC) is a home and community- based Medicaid waiver program. MYPAC provides specific services for SED children/youth. Program designed to provide alternate services to traditional Psychiatric Residential Treatment Facilities. Services include Intensive Case Management, Wraparound Services, and Respite Services. An Individualized Service Plan is developed to identify and address participants' and their families' individual needs. Providers will be expected to be available to participants and their families around the clock				X

CASE	MANAGEMENT (5000)	МН	IDD	SA	CY
502	Intensive Case Management	Χ			
	A specialized form of case management services designed to				

CASE MANAGEMENT (5000)	MH	IDD	SA	CY
offer intensive support to persons during periods of psychiatric emergency or crisis. The primary goal of "Intencase management" is to assist the person in obtaining serv to help forestall the need for psychiatric inpatient placeme. The program differs from "Case management" in the intenand frequency of services, and the utilization of a much low staff-to-client ratio.	vices ent. isity			
Aftercare – Substance Abuse Recovery Support Services are non-clinical services that are offered before, during and after Primary Residential Treatment Services that assist individuals and families wor towards recovery from substance use disorders. They incorporate a full range of social, legal, and other resource that facilitate recovery and wellness to reduce or eliminate environmental or personal barriers to recovery. RSS includ social supports, linkage to and coordination among allied service providers, and other resources to improve quality of life for people in and seeking recovery and their families.	king es e e		X	
Community Support Services Community Support Services provide an array of support services delivered by community-based, mobile Communit Support Specialists. CSS are directed towards adults, child adolescents and families and will vary with respect to hour type and intensity of services, depending on the changing needs of each individual. The purpose/intent of CSS is to provide specific, measurable, and individualized services to each person served. CSS should be focused on the individu ability to succeed in the community; to identify and access needed services; and to show improvement in school, wor and family and integration and contributions within the community.	ren, rs, o nal's	X	X	X
Targeted Case Management Targeted Case Management Services is defined as services that provide information/referral and resource coordination for individuals and/or his/her collaterals. Case Management Services are directed towards helping the beneficiary mainth his/her highest possible level of independent functioning. Case managers monitor the individual service plan and ensities that are assigned to them, follow up and follow through occur and help identify when treatment team may need to review the service plan for updates if the established plan is not working. Targeted case management may be provided face-to-face.	on nt ntain sure that n the	X	X	X

CASE MANAGEMENT (5000)	МН	IDD	SA	CY
via telephone.				

EMER	GENCY (8888)	МН	IDD	SA	CY
602	Face-to-face contact (i.e. Mobile Crisis Response) with a mental health professional twenty-four (24) hours a day, seven (7) days a week must be available. The staff person is not required to see the individual in the individual's home, but this is permissible and recommended. There must be designated, strategic, publicized locations where the person can meet with a mental health professional. The individual must be seen within one (1) hour of initial time of contact if in an urban setting and within two (2) hours of initial time of contact if in a rural setting. A team approach to mobile crisis response should be utilized if warranted to adequately address the situation.	X	X	X	X
603	Telephone Emergency/Crisis Response Service Time limited intensive intervention, available twenty-four (24) hours a day, seven (7) days a week. Crisis response services allow for the assessment of the crisis and ability to activate a mobile crisis team. Trained crisis response staff provides crisis stabilization directed toward preventing hospitalization. Children or adults requiring crisis services are those who are experiencing a significant emotional/behavioral crisis. A crisis situation is defined as a situation in which an individual's mental health and/or behavioral health needs exceed the individual's resources, in the opinion of the mental health professional assessing the situation. Staff must be able to triage and make appropriate clinical decisions, including accessing the need for inpatient services or less restrictive alternatives.	X	X	X	X
604	Walk-In Emergency/Crisis Response Service The provider must ensure that a mental health representative is available to speak with an individual in crisis and/or family members/legal representatives of the individual twenty-four (24) hours a day, seven (7) days a week, inclusive of individuals who may be a "walk-in" at any program site.	Х	Х	Х	Х
605	Intensive Crisis Intervention Service Intensive Crisis Intervention Services for Children and Youth with an SED are specialized, time limited interventions that last for 6-8 weeks and include intensive				Х

EMERGENCY (8888)	МН	IDD	SA	CY
outpatient mental health therapy services and in-home				
services and support for the family or other caregivers.				
These services are available twenty-four (24) hours a day,				
seven (7) days/week.				

CON	SULT/EDUC/PREV (8888)	MH	IDD	SA	CY
704	Alcohol & Drug Prevention			Χ	
	Prevention Services represent a process that involves				
	interacting with people, communities, and systems to promote				
	programs aimed at substantially preventing alcohol, tobacco,				
	and other drug abuse, delaying its onset and/or reducing				
	substance abuse-related behaviors. Prevention Services are				
	designed to reduce the risk factors and increase the protective				
	factors linked to substance abuse and related problem				
	behaviors to provide immediate and long-term positive results.				
705	Prevention (Children/Youth)				Х
	Prevention/Early Intervention Services include preventive				
	mental health programs targeting vulnerable at-risk groups				
	with the intent to prevent the occurrence of mental and/or				
	emotional problems and service programs designed to				
	intervene as early as possible following the identification of a				
	problem. Prevention and/or early intervention programs				
	should be designed to target a specific group of children/youth				
	and/or their families, such as children/youth who have been				
	abused or neglected, teenage parents and their children, and				
	young children and their parents. Children/youth identified as				
	having a serious emotional disturbance and/or their families				
	may also be targeted to receive specialized intervention early				
	in the course of identification of the emotional disturbance.				
706	DUI			Χ	
	The DUI Diagnostic Assessment is a process by which a				
	diagnostic assessment (such as, Substance Abuse Subtle				
	Screening Inventory (SASSI), or other DMH approved tool) is				
	administered and the result is combined with other required				
	information to determine the offenders appropriate treatment				
	environment.				

MISC	ELLANEOUS (8888)	МН	IDD	SA	CY
801	Staffing – No Treatment Plan Review	Χ		Χ	Χ
802	No Shows / Cancellations	Χ	Χ	Χ	Χ
803	PATH Grant Service	Χ			
804	Making a Plan (MAP) Team Review Meeting				Χ
	Making a Plan (MAP) Teams address the needs of children, up				
	to age 21 years, with serious emotional/behavioral disorders				
	and dually diagnosed with serious emotional/behavioral				
	disorders and mental retardation, including, but not limited				
	to, conduct disorders, or mental illness, who require services				
	from multiple agencies and multiple program systems, and				
	who can be successfully diverted from inappropriate				
	institutional placement.				
	Fetal Alcohol Spectrum Disorders (FASD) Screening				Х
	Children ages birth to age eighteen (18) must be screened				
	within six (6) months of Intake to determine if there is a need				
	for a Fetal Alcohol Spectrum Disorders (FASD) diagnostic				
	evaluation. Youth ages eighteen (18) to twenty-four (24) may				
	be screened for an FASD if the provider has reason to believe				
	that there was prenatal alcohol exposure.				
806	Fetal Alcohol Spectrum Disorders (FASD) - Treatment				Х
	Treatments and interventions recommended by the FASD				
	multi-disciplinary diagnostic team must be either provided or				
	facilitated by the service provider. Referral to the local MAP				
907	Team should be made when appropriate.				V
807	Respite Respite is a short term planned relief sare in the home or				Х
	Respite is a short-term planned relief care in the home or community for children/youth with serious				
	emotional/behavioral disturbances or mental health				
	challenges. This service offers time out for caregivers and				
	children/youth, helping family members to cope with their				
	responsibilities, to rest and regroup, facilitate stability, and				
	feel less isolated from the community, family and friends. The				
	provision of services is child-centered with the family				
	participating in all decision-making, community based and				
	culturally competent.				
808	Wraparound Facilitation				Χ
	Wraparound Facilitation is the creation and facilitation of a				
	child and family team for the purpose of developing a single				
	plan of care to address the needs of youth with complex				
	mental health challenges and their families.				
809	Urine Drug Screens	Χ		Χ	

810	Adult Making A Plan (AMAP) Team Review meeting	Χ		7
	Adult Making A Plan (AMAP) Teams address the needs of			
	adults, age 21 years and above, with serious mental illness or			
	dually diagnosed (SMI/DD or SMI/A&D) who have			
	frequent/multiple placements in inpatient psychiatric services			
	which could possibly be prevented with the coordinated			
	efforts of multiple agencies and services.			

HOM	E AND COMMUNITY BASED ID/DD SERVICES (8888)	МН	IDD	SA	CY
901	Support Coordination Support Coordination Services are provided to individuals enrolled in the ID/DD Waiver. Support Coordination Services coordinate and monitor all services an individual on the ID/DD Waiver receives, regardless of funding source, to ensure services are adequate, appropriate, meet individual needs, and ensure the individual's health and welfare needs are met.		X		
903	In-Home Nursing Respite Services In-Home Nursing Respite Services are provided to individuals enrolled in the ID/DD Waiver. In-Home Nursing Respite Services provide temporary, periodic relief to those persons normally providing the care for an eligible individual who requires services that can only be provided by licensed nurses. In-Home Nursing Respite Services are also provided when the usual care giver is absent or incapacitated due to hospitalization, illness, or injury or upon their death.		X		
905	Community Respite Community Respite Services are provided to individuals enrolled in the ID/DD Waiver. Community Respite Services are designed to provide families/care givers a safe place in the community where they can take their family member on a short-term basis for the purpose of relieving the family or caretaker or to meet planned or emergency needs. Typically, Community Respite Services are provided at times when other types of services are not available such as evenings and weekends.		X		
907	Supervised Living Supervised Living Services provide individually tailored supports which assist with the acquisition, retention, or improvement in skills related to living in the community. Learning and instruction are coupled with the elements of support, supervision and engaging participation to reflect the natural flow of learning, practice of skills, and other activities as they occur during the course of an individual's day.		Х		

НОМ	E AND COMMUNITY BASED ID/DD SERVICES (8888)	МН	IDD	SA	CY
908	Supported Living		Χ		
	Supported Living includes an array of supports and services				
	that are provided in an integrated community setting by a				
	provider with appropriate staff and resources to assist an				
	individual who needs assistance less than twenty-four (24)				
	hours per day/seven (7) days per week.				
909	Day Services - Adult		Χ		
	ID/DD Waiver Day Services - Adults are designed to foster				
	greater independence, personal choice, and				
	improvement/retention of self-help, socialization, positive				
	behavior, and adaptive skills. Services are provided in a				
	community-based setting. A central component of the service				
	is to provide opportunities for individuals to become more				
	independent, productive, and integrated in their community.				
910	Prevocational Services		Χ		
	Prevocational Services are provided to persons not expected				
	to be able to join the general workforce within one year				
	(excluding Supported Employment Services). Activities can be				
	either center based or community based and are not primarily				
	directed at teaching specific job skills, but at underlying skills				
	which are useful in obtaining community employment.				
912	Behavior Support/Intervention		Χ		
	Behavior Support and Intervention Services are designed for				
	individuals who exhibit behavior problems which cause them				
	not to be able to benefit from other services being provided				
	or cause them to be so disruptive in their environment(s)				
	there is imminent danger of causing harm to themselves or				
	others.				
917	Home & Community Supports		Χ		
	Home and Community Supports offer a range of services for				
	individuals who require assistance to meet their daily living				
	needs, ensure adequate functioning in their home and				
	community, and provide safe access to the community.				
918	Supported Employment – Individual		Χ		
	Supported Employment Services increase independence,				
	community integration, and productivity of individuals with				
	IDD by providing support services necessary to achieve and				
	maintain competitive employment and/or self-employment.				
	Competitive employment is defined as having a job in a				
	business(es) in the community where individuals without				
	disabilities are employed. Additionally, Supported				
	Employment Services may consist of activities to support				

HOME AND COMMUNITY BASED ID/DD SERVICES (8888)				SA	CY
	and/or assist an individual in starting his/her own business.				
919	Supported Employment – Group Supported Employment Services increase independence, community integration, and productivity of individuals with IDD by providing support services necessary to achieve and maintain competitive employment and/or self-employment. Competitive employment is defined as having a job in a business(es) in the community where individuals without disabilities are employed. Additionally, Supported Employment Services may consist of activities to support and/or assist an individual in starting his/her own business. Can be provided in groups of no more than three (3) individuals and one (1) staff person.		X		
920	Host Homes Host Homes are private homes where an individual lives with a family and receives personal care and supportive services. Host Home Families are a stand-alone family living arrangement in which the principal caregiver in the Host Home assumes direct responsibility for the participant's physical, social, and emotional well-being and growth in a family environment.		Х		
921	Crisis Intervention Crisis Intervention provides immediate therapeutic intervention, available to an individual on a 24-hour basis, to address personal, social, and/or behavioral problems which otherwise are likely to threaten the health and safety of the individual or others and/or may result in the individual's removal from his/her current living arrangement. This service is provided on a 1:1 staff to individual ratio.		X		
922	Job Discovery Job Discovery is a person-centered service assisting the individual with volunteerism, self-determination, and self-advocacy. Services identify the wants and needs for supports and develop a plan for achieving integrated employment. Individuals are allowed to explore jobs, job shadow, research/interview for job information, analyze job tasks, prepare for employment and develop business plans for self-employment. Job discovery is time-limited and age-restricted.		X		
923	Transition Assistance Transition Assistance is a one (1) time set up expense for individuals who transition from institutions (ICF/IID or Title XIX nursing home) to a less restrictive community living arrangement such as a house or apartment where they receive Supervised or Supported Living services, or a Host		Х		

НОМ	E AND COMMUNITY BASED ID/DD SERVICES (8888)	МН	IDD	SA	CY
	Home living arrangement and who do not use services provided through the Bridge to Independence (Money Follows the Person) program.				
924	Crisis Support Services Crisis Support is provided in an ICF/IID and is used when an individual's behavior or family/primary caregiver situation becomes such that there is a need for immediate specialized services that exceed the capacity of Crisis Intervention.		Х		



Database: STATES Revision Date: 04/12/99

CODE STATE

AL Alabama
AK Alaska
AZ Arizona

AR Arkansas
CA California
CO Colorado
CT Connecticut

DC District of Columbia

Delaware

FL Florida GA Georgia HI Hawaii

DE

ID Idaho
IL Illinois
IN Indiana
IA Iowa
KS Kansas

KY Kentucky LA Louisiana ME Maine MD Maryland

MA Massachusetts MI Michigan

MN Minnesota MS Mississippi MO Missouri

CODE STATE

MT Montana NE Nebraska NV Nevada

NH New HampshireNJ New JerseyNM New MexicoNY New York

NC North Carolina ND North Dakota

OH Ohio

OK Oklahoma OR Oregon

PA Pennsylvania
RI Rhode Island
SC South Carolina
SD South Dakota
TN Tennessee

TX Texas UT Utah VT Vermont VA Virginia

WA Washington
WV West Virginia
WI Wisconsin
WY Wyoming



County	Abbr	County #	FIPS #	SPH Region	IDD Region	CMHC Region
Adams	ADA	01	28001	201	304	111
Alcorn	ALC	02	28003	203	301	104
Amite	AMI	03	28005	201	304	111
Attala	ATT	04	28007	201	302	106
Benton	BEN	05	28009	203	301	103
Bolivar	BOL	06	28011	201	302	106
Calhoun	CAL	07	28013	203	301	102
Carroll	CAR	08	28015	201	302	105
Chickasaw	CHI	09	28017	203	301	103
Choctaw	СНО	10	28019	202	302	107
Claiborne	CLB	11	28021	201	304	111
Clarke	CLK	12	28023	202	304	110
Clay	CLY	13	28025	202	302	107
Coahoma	COA	14	28027	201	301	101
Copiah	СОР	15	28029	201	304	108
Covington	COV	16	28031	204	304	112
De Soto	DES	17	28033	203	301	104
Forrest	FOR	18	28035	204	304	112
Franklin	FRA	19	28037	201	304	111
George	GEO	20	28039	202	305	114
Greene	GRE	21	28041	204	304	112
Grenada	GRN	22	28043	201	301	106
Hancock	HAN	23	28045	201	305	113
Harrison	HAR	24	28047	201	305	113
Hinds	HIN	25	28049	201	302	109
Holmes	HOL	26	28051	201	302	106
Humphreys	HUM	27	28053	201	302	106
Issaquena	ISS	28	28055	201	302	106
Itawamba	ITA	29	28057	201	301	103
Jackson	JAC	30	28059	202	305	114
Jasper	JAS	31	28061	202	304	110
Jefferson	JFN	32	28063	201	304	111
Jefferson Davis	JFV	33	28065	204	304	112
Jones	JON	34	28067	204	304	112
Kemper	KEM	35	28069	202	304	110
Lafayette	LAF	36	28071	203	301	102
Lamar	LAM	37	28073	204	304	112
	.	•				•

County	Abbr	County #	FIPS#	SPH Region	IDD Region	CMHC Region
Lawrence	LAW	39	28077	201	304	111
Leake	LEA	40	28079	202	302	110
Lee	LEE	41	28081	203	301	103
Leflore	LEF	42	28083	201	302	106
Lincoln	LIN	43	28085	201	304	108
Lowndes	LOW	44	28087	202	304	107
Madison	MAD	45	28089	201	302	108
Marion	MAN	46	28091	204	304	112
Marshall	MAS	47	28093	203	301	102
Monroe	MOR	48	28095	203	301	103
Montgomery	MOT	49	28097	201	302	106
Neshoba	NES	50	28099	202	304	110
Newton	NEW	51	28101	202	304	110
Noxubee	NOX	52	28103	202	304	107
Oktibbeha	OKT	53	28105	202	302	107
Panola	PAN	54	28107	203	301	102
Pearl River	PEA	55	28109	201	305	113
Perry	PER	56	28111	204	304	112
Pike	PIK	57	28113	201	304	111
Pontotoc	PON	58	28115	203	301	103
Prentiss	PRE	59	28117	203	301	104
Quitman	QUI	60	28119	201	301	101
Rankin	RAN	61	28121	201	302	108
Scott	SCO	62	28123	202	302	110
Sharkey	SHA	63	28125	201	302	106
Simpson	SIM	64	28127	201	304	108
Smith	SMI	65	28129	202	304	110
Stone	STO	66	28131	201	305	113
Sunflower	SUN	67	28133	201	302	106
Tallahatchie	TAL	68	28135	201	301	101
Tate	TAT	69	28137	203	301	102
Tippah	TIP	70	28139	203	301	104
Tishomingo	TIS	71	28141	203	301	104
Tunica	TUN	72	28143	201	301	101
Union	UNI	73	28145	203	301	103
Walthall	WAL	74	28147	201	304	111
Warren	WAR		28149	201	302	115
Washington	WAS	76	28151	201	302	106
Wayne	WAY	70 77	28153	204	304	112
vvayiic	V V / \ I	, ,	20100	۷۷4	JU4	<u> </u>

Database: COUNTY Revision date: 07/01/2014

County	Abbr	County #	FIPS #	SPH Region	IDD Region	CMHC Region
Webster	WEB	78	28155	202	302	107
Wilkinson	WIL	79	28157	201	304	111
Winston	WIN	80	28159	202	304	107
Yalobusha	YAL	81	28161	203	301	102
Yazoo	YAZ	82	28163	201	302	115

Unknown 98 Out of state 99 **Technical Requirements**

1. Data file submission protocol

Providers will submit data files to the CDR web interface. The production website address is https://www.ms.gov/MHProject. Users may request access to the CDR by contacting DMH Division of Information Systems.

2. Data file format

Data files must be submitted as an ASCII comma delimited file. There are four data subsets. Each data subset should follow the data file specifications outlined in the Manual of Uniform Data Standards.

3. Validation of file submission

When a file is uploaded to the CDR web interface, the file will undergo preliminary validation. This is a quality measure to reduce errors and improve data collection methods. The data file will be checked for valid data codes within specific fields and valid data relational rules. Pre-validation of the file does NOT compare file data to existing data in the CDR. If errors are detected, the file is not accepted for upload to the database. An error report is provided so errors can be corrected. The file can be re-submitted for preliminary validation without delay. The file will not be chosen for upload until all data validations have been corrected.

Once the file is uploaded to the CDR without error, a secondary database batch process will validate data records in the upload file against existing data. This process runs at the end of each business day. Upon completion, the process will send summary results to the email address on file for each provider. A detailed error report is available on the website.

4. Error Processing Reports

The preliminary validation process (or pre-validation) provides a web-based report that identifies the line number, client identifier, data field, and an error message. The pre-validation error report is immediately available.

Pre-validation Error Messages:

Error Message	Explanation	Field(s) Affected
Invalid Value	Value in upload file does not match a value in the UDS	Fieldname will be listed in error report
Invalid field length	Value in upload file does not have the correct number of characters required by the UDS	Fieldname will be listed in error report
Required Field	Field cannot be blank or NULL	Fieldname will be listed in error report
DIS_DATE should not be sent based on CLI_STATUS	Client stauts is not a discharge value (09,10) so discharge date should not be provided	DIS_DATE, CLI_STATUS
Relational Edit - Required field based on CLI_STATUS	Discharge date is required when client status is a discharge value (09, 10)	DIS_DATE, CLI_STATUS
Provider Number in filename does not match ORG_CODE in file	Organizational number does not match field ORG_CODE in the upload file	ORG_CODE
Relational Edit - Invalid value based on RCD_TRANS	To add an admission record, RCD_TRANS should be 01 and client status cannot be a discharge value (CLI_STATUS, 09-10). To discharge a client, RCD_TRANS should be an update (4) and client status should be a discharge value (09,10).	CLI_STATUS
Relational Edit - Invalid value based on EMPLOYMENT	Residential arrangement of client indicates correctional facility so the employment should indicate the client is a correctional inmate and living arrangement should be indicate the client lives with non-relatives.	RESID_ARR
Relational Edit - Invalid value based on RESID_ARR	Employment of client indicates correctional inmate so the client's residential arrangement should indicate he/she is in a correctional facility and living arrangement should be indicate the client lives with non-relatives.	EMPLOYMENT
Relational Edit – Invalid value based on DISAB_CATE	Dually diagnosed clients must have a primary focus of treatment (DISAB_DUAL) related to the (DISAB_CATE)	DISAB_DUAL
DSM_PRIN is required based on DSM_2	DSM_PRIN is required because field, DSM_2, has a value entered.	DSM_2
Relational Edit – Required field based on DISAB_CATE	DISAB_DUAL is required if DISAB_CATE is dually diagnosed (4-7) or unknown (8)	DISAB_DUAL

Error Message	Explanation	Field(s) Affected		
Relational Edit – DIS_DATE cannot be before ADM_DATE	Self-explanatory	DIS_DATE, ADM_DATE		
Relational Edit – ENT_DATE cannot be before the EXT_DATE	Self-explanatory	ENT_DATE, EXT_DATE		
Relational Edit – Invalid value based on sex	Male cannot be indicated as pregnant	SEX, PREGNANT		
Relational Edit – Invalid value based on sex	Unknown cannot be indicated as pregnant	SEX, PREGNANT		
Relational Edit - Invalid value based on type of arrest	When type of arrest indicates DUI/DWI, field for DUI offender must be an applicable value	DUI		
Relational Edit - Invalid value based on SUB_CODE_1	Substance problem is none, age of first use should be N/A	FRST_USE_1		
Relational Edit - Invalid value based on SUB_CODE_2	Substance problem is none, age of first use should be N/A	FRST_USE_2		
Relational Edit - Invalid value based on SUB_CODE_3	Substance problem is none, age of first use should be N/A	FRST_USE_3		
Relational Edit - missing SA_DIS_DATE	Discharge data for SA client was provided but SA discharge date was not provided	DIS_DATE, SA_DIS_DATE		

The secondary validation, the database batch process, runs at the end of each business day and summary results are emailed upon completion. Users must access the website to obtain an error report. Under Organization Info, users can view the results of the file process and download an error report.

Organization:	116	TEST I	ROVIDER		
			ORGAN	IZATION INFORMATION	
Contact Name:		Ţ	ANE DOE		
Contact Phon	e Num	ber: [8	01 111-1111		
Contact Emai	il:	E	mail@aol.com		
				Update Provider Information	

LAST FILES SENT							
Type of File/ Month Rptd	File Submitted/ Date Submitted	File Status	Records in Error:	Total Number of Records:	Per Cent Errors:		
MH 201001	D1161002.TXT 04/20/2010	PROCESSED	1	2	50.00	MH Errors	
SA 201001	A1161002.TXT 04/20/2010	PROCESSED	3	3	100.00	Subst Abuse Errors	
Intel/Dev		IN PROCESS	0	0	0.00	Intel Dev Errors	
Services 201001	S116test.txt 04/20/2010	PROCESSED	2	2	100.00	Services Errors	

Each file type will be shown as SUBMITTED, IN PROCESS, or PROCESSED.

- SUBMITTED file has passed pre-validation process and has been chosen for upload. File will undergo the batch process at the next scheduled run time.
- IN PROCESS batch process is running and upload file is being analyzed. Errors cannot be reviewed until the process has completed.
- PROCESSED batch process has completed and error report is available

Once the batch process has completed, an error summary is emailed to the data contact and an error report(s) can be viewed on the website. To see details on a processed file, click on the corresponding error button. There is a summary report and detailed report available. To view the summary report concerning Mental Health Errors, user should click on the "MH Errors" button. An example screen for MH Errors summary report is shown below.

Provider: 116	File Type	MH Er	rors Records in	error: 1	Total Nu	unber Records:	2 Per Cen	Record	ds In Error: 50.00		
FIELD NAME	NUMBER	PER	FIELD NAME	NUMBER	PER	FIELD NAME	NUMBER		FIELD NAME	NUMBER	
RPT DATE	0	137.54	RACE	0		PROBLEM_1			PROGRAM_CODE		
	0	0.00	HISPANIC	0	0.00	PROBLEM_2			ENT_DATE	0	
ORG_CODE	0		EDUCATION	0		DISAB_CATE	0	0.00	EXT_DATE	0	0.00
_	0		MARITAL	0		DISAB_DUAL	0	0.00	CONSISTENCY	1	50.00
CLI_ORG_ID			ADM CNTY			SPMI	0	0.00			
				0		SEDC	0	0.00			
	0		LIVING_ARR			DSM_1	0	0.00			
ADM_DATE	0		RESID_ARR	0		DSM_2	0	0.00			
ADM_TYPE	0		EMPLOYMENT			DSM PRIN	0	0.00			
ADM_REFER			INCOME_SRC	0		DIS_DATE	0	0.00			
ADM_REF_OR			INOCME_HOU			DIS_STATUS	0	0.00			
LEG_STATUS	0	0.00	INCOME_DEP	0	0.00	DIS_REFER		0.00			
LAST_NAME	0	0.00	ELIG_SSI	0	0.00	DIS REF OR		0.00			
FIRST_NAME	0	0.00	ELIG_MCAID	0	0.00	DIS_CNTY	0	0.00			
MAID_NAME	0	0.00	PAYMENT	0	0.00	MEDICAID #	0	0.00			
SS_NUMBER	0	0.00	VET_STATUS	0	0.00						
BIRTH_DATE	0	0.00	HANDICAP_1	0	0.00	STATE ID	. 0	0.00			
SEX	0	0.00	HANDICAP_2	0	0.00	INTGR_TREAT ACT_TREAT	0	0.00			

A detailed error report is available for download. The "SUBMIT" button on each of these error summary screens can be clicked to download the detailed error report file. The error report files give details for each record that was in error on the corresponding uploaded file. These error report files are in comma delimited format and can be opened within Excel. The report can be useful to identify data records having invalid data within their local systems have the invalid data

.